

AVENTURA 37 DESCRIPTION

EN



2020/2021



Aventura
CATAMARANS

Aventura 37 Inventory

Summary

Specifications of standard version	2
Standard construction	3
Standard description of external elements	4
Spars, sails and deck hardware	4
Engines compartments	5
Equipment and fittings of maneuvering and helm stations	6
Cockpit equipment and facilities	6
Deck equipment and fittings	7
Standard interior description	8
Technical equipment	11
Options description	12
Versions	20
Annexes	21

Non-contractual document

SPECIFICATIONS OF STANDARD VERSION :

Naval architecture and design : **LASTA DESIGN STUDIO**

Standard configuration : **3 double cabins & 2 bathrooms** (see layout plan)

Trio configuration : **3 double cabins & 3 bathrooms** (see layout plan)

Quatro configuration : **4 double cabins & 2 bathrooms** (see layout plan)

Charter Configuration : **4 double cabins & 4 bathrooms** (see layout plan)

Hull length : **10,90 m**

LOA : **10,90 m**

Beam : **5,94 m**

Minimum draught : **1,20 m**

Air draft (VHF included) : **20 m**

Displacement : **7,9 T**

Total sail area : **94 m²**

Mainsail area : **58 m²**

Genoa area : **36 m²**

Optional Elvstrom Gennaker area : **60 m²**

Optional Elvstrom Spinnaker symetric area : **90m²**

Optional Elvstrom Spinnaker asymeric area : **85m²**

Fuel tanks capacity : **2 x 250L**

Fresh water tanks capacity : **2 x 250L**

Minimum blackwater tank capacity : **80L**

12V fridge/freezer volume : **275L** including 75L of freezing

Standard engine : **2 x 20hp Yanmar Sail Drive**

Optional engine : **2 x 30hp Yanmar Sail Drive**

Approval and design category : **CE A8 B12 C16 D20**

Structural warranty : **2 ans**

STANDARD CONSTRUCTION :

The hulls are made of multiaxial fibreglass and PVC foam, resin and isophthalic NPG gelcoat. The hulls' underwater surface is made of monolithic laminated polyester, while the topsides are made of vacuum sandwich polyester laminate. The whole is made by using resin infusion techniques. The required buoyancy is provided by 8 hermetic buoyancy chambers.

Bulkheads made of CP CTBX laminated plywood.

Fins are made of monolithic polyester laminate and epoxy foam and then fixed to the hulls by laminating and bonding equipped with a release system in case of contact with an obstacle.

Suspended and balanced spade rudders are made of monolithic polyester laminate and epoxy foam with stainless steel rudder stocks mounted with JP3 self-aligning bushers.

The deck is made of reinforced multi-layer polyester.

Windscreen made of monolithic polyester laminate. Panoramic view provided by 4 Altuglass panels, 15mm thick.

The bulkhead separating the cockpit and the saloon is made of reinforced sandwich polyester.

The ship is opened/closed by a four-wing custom sliding door, made of black powder-coated aluminium with Security glass, key lock and latches adjustable in open/half-open/closed position.

The roof is made of reinforced multi-layer polyester. Structural reinforcements by stainless steel stanchions.

DESCRIPTION OF EXTERNAL ELEMENTS STANDARD VERSION :

Spars :

7/8 mast 16,50m high, with one level of spreaders, made of anodized aluminum.

Mast step with 6 slots for pulleys, bringing the halyards to the cockpit, automatic reefing system with 3 reefs.

1 combined mast/deck light, 1 folding step for easy access to the coach roof.

3 cleats at the mast foot for the topping lift and lazy jack.

1 tricolour masthead light + white 360 °.

Boom made of anodized aluminum with 3 automatic reefing systems.

Bowsprit of anodized aluminium with 1 martingale of anodized aluminium.

Standing rigging :

Single forestay made of stainless steel Ø12mm.

2 backstays made of stainless steel Ø12mm with turnbuckles, 1 diamond, 1 martingale.

2 stainless steel U-bolts for fixing the backstays.

2 U-bolts to attach the bowsprit of anodized aluminium.

Various waterproof pad eyes.

Running rigging :

1 Dynema halyard for mainsail, 1 Dynema halyard for genoa, 1 Dynema halyard for optional second headsail.

1 Polyester topping lift and lazy jack on separate cleats at the mast foot.

1 Polyester mainsail sheet 4:1 and rail lead aft to the maneuvering station.

3 Polyester automatic reef lines lead aft to the maneuvering station.

2 Polyester genoa sheets lead aft to the maneuvering station.

Sails Elvstrom :

1 Mainsail Full Batten (58 m²) on sliders. Mainsail made of first quality Dacron fabric.

Horizontally cut with battens, 3 automatic reefs on low friction rings.

1 Genoa (36 m²) on snap shackles. Genoa made of first quality Dacron fabric.

Maneuvering fittings :

Mainsail system : 1 Harken mainsail sheet 4:1 on a roof mounted sliding rail, Harken ball-bearing cars, Harken pulleys, Harken organizer. Control lines and sheet lead aft to the maneuvering station in a two-speed Harken ST40 winch and blocking on 3 Lewmar cleats.

Genoa system : 1 set of Harken pulleys, Harken organizer for the 2 genoa sheets lead aft to the maneuvering station in a two-speed Harken ST40 winch and blocking on 2 Lewmar cleats.

Halyards and automatic reefs systems : 1 set of Harken pulleys, Harken organizer for the 3 halyards and the 3 automatic reefing lines lead aft to the maneuvering station in a two-speed Harken ST40 and blocking on 6 Lewmar cleats.

All maneuvers lead aft to the maneuvering station on 2 Harken ST40 two-speed winches.

The Aventura 37 has a total of 2 Harken ST40 two-speed winches with a long Harken crank.

Ropes, sheets, lines and halyards are available in different colors.

Natural lighting and ventilation :

Saloon/cockpit separated by a four-wing custom sliding door, made of black powder-coated aluminium with Security glass, key lock and latches adjustable in open/half-open/closed position.

Windscreen made by gluing 4 Altuglass fixed panels, 15mm thick.

Total of 2 Giot LuxAir 350 x 499mm ventilation hatches in windscreen.

Total of 2 Giot LuxAir 176 x 425mm ventilation port lights lined with rear cabins on 15mm thick Altuglass panels.

Total of 3 Giot LuxAir 171 x 347mm ventilation port lights in outer edged hulls on 15mm thick Altuglass panels.

Total of 2 Giot LuxAir 191 x 449mm ventilation port lights in the interior edges of the rear cabins.

Total 6 Altuglass panels 15mm thickness on outer edges of the hulls.

Total of 2 flipping emergency glass panels to break.

The Aventura 37 has a total of 9 Giot LuxAir ventilation windows, 12 Altuglass panels 15mm thick and a mandatory flipping emergency exit glass panel per hull.

Transom - starboard side :

Opening hood in polyester for insulated and soundproof engine compartment access.

1 Stainless steel deck filler for filling diesel fuel tank on starboard + 1 stainless steel vent.

1 Telescopic boarding ladder made of stainless steel. Steps with non-slip platform and stainless steel handrail.

1 Aluminium JP3 deck cover providing access to the rudder-stock on the starboard side.

Hand shower with cold water under pressure.

Vents for engine ventilation starboard.

Transom - port side :

Opening hood in polyester for insulated and soundproof engine compartment access.

1 Stainless steel deck filler for filling diesel fuel tank on port + 1 stainless steel vent.

1 Aluminium JP3 deck cover providing access to the rudder-stock on the port side.

Vents for engine ventilation starboard.

Engines compartments :

Two 3 cylinders Yanmar engines, 20hp, thermal and sound insulation achieved due to the application of high density (30 kg/m³) cellular polyester resin based foam, sound absorbing and soundproof.

1 fuel filter/decanter in polyester casing for easy maintenance (1 per engine).

1 water filter for cooling system in polyester housing for easy maintenance (1 per engine).

2 Automatic electric bilge pumps (1 per engine).

2 Sail Drive power transmission systems.

2 two-bladed fixed propellers.

2 Anodes.

Equipment and fittings of maneuvering and helm stations :

Located on port, the control station of the Aventura 37 is made up of a separate maneuvering and helm stations. The Aventura 37 offers perfect visibility for total control of the ship in all circumstances.

The maneuvering station includes :

All maneuvers lead aft to 2 winchs Harken ST40 two-speeds and hardware.

- 1 Storage compartment for halyards and sheets.
- 1 Folding padlock for Skipper harness (harness not provided).
- 1 Winch handle case.
- 2 Stainless steel handrails.

The helm station includes :

Integrated polyester seat and back rest for two people with armrests and stainless steel stanchions.

Integrated compartment for smartphone with 12V socket and cup holder.

Provided slot for additional navigational electronics.

- 1 Composite steering wheel with line transmission.
- 2 Yanmar dashboards with visual and audible alarms.
- 1 Magnetic compass with compensation, protective cover and backlight.
- 1 Dual engine control with mechanical transmission system by reinforced cables.
- 1 Folding padlock for Skipper harness (harness not provided).
- 1 Emergency tiller.
- 2 Stainless steel handrails.
- Easy maintenance through inspection hatch.

Equipment and fittings of cockpit :

Comfort :

- 1 Large cockpit table in laminated oak washed chêne lavé on 2 removable aluminum feet.
- 1 Storage box under seating coxsy for optional gas plancha.
- 1 Stainless Staircase with 4 teak steps for direct access to the port-side manoeuvring station.
- 1 Stainless Staircase with 4 teak steps for direct access to the starboard cap.
- Large central chest in rear beam with 2 stainless steel locks including 2 large volumes of storage and locations for survival, 14kg gas bottle and various optional.
- 3 20W independent halogens pots with polished stainless steel finish.

Security :

Built-in gelcoat non-slip coating.

Evacuations of water in cockpit ensured by natural openings and slats teak.

- 1 Inox file on rear beam to close the cockpit.
- 2 Inox rear balconies to close skirts (1 per skirt).
- Inox-type pelican-type liners, wrinkles and hooks.
- 1 Inox handrail under a cockpit cap.
- 1 Stainless handrail for port side stairway.
- 1 Inox handrail for starboard stairway.
- 1 Membrane emergency manual wedge pump with 15m flexible hose.

Cockpit equipment and facilities :

Comfort :

- 1 Large cockpit table in laminated oak washed chêne lavé on 2 removable aluminum feet.
- 1 Storage box under seating coxsy for optional gas plancha.
- 1 Stainless Staircase with 4 teak steps for direct access to the port-side manoeuvring station.
- 1 Stainless Staircase with 4 teak steps for direct access to the starboard cap.
- Large central chest in rear beam with 2 stainless steel locks including 2 large volumes of storage and locations for survival, 14kg gas bottle and various optional.
- 3 20W independent halogens pots with polished stainless steel finish.

Security :

- Built-in gelcoat non-slip coating.
- Evacuations of water in cockpit ensured by natural openings and slats teak.
- 1 Inox file on rear beam to close the cockpit.
- 2 Inox rear balconies to close skirts (1 per skirt).
- Inox-type pelican-type liners, wrinkles and hooks.
- 1 Inox handrail under a cockpit cap.
- 1 Stainless handrail for port side stairway.
- 1 Inox handrail for starboard stairway.
- 1 Membrane emergency manual wedge pump with 15m flexible hose.

Deck equipment and fittings :

Comfort :

- 1 High-comfort medium mesh trampoline with pre-stretched polyester attachment Ø4mm.
- 2 Stainless steel plugs for freshwater filling with octagonal key lock.
- 1 Large watertight storage box with stainless steel lock on port front and safety box retainer in open position including a storage volume for sails and various optional.
- 1 Large watertight storage box with stainless steel lock on starboard front and open box including a storage volume for sails and various optional.

Anchorage :

- 2 Large pedestal chests with 2 stainless steel locks including a large storage volume and locations for watermaker, generator, air conditioning, heating and various optional.
- 1 Self-draining baille with stainless steel davit and hard rubber reamer, manual windlass and easy access to the chain shaft.

Security :

- Integrated anti-slip coating in gelcoat.
- 4 Large stainless steel handrails on cap for passavants access.
- 6 Stainless steel wrapped candlesticks + 2 stages of dies with stainless steel wrinkles.
- Finish the dies on stainless steel front balconies.
- 4 Wichard folding cadènes for lifelines (lifelines not provided).
- 6 Stainless steel mooring clamps + 6 stainless steel martyrs.

The Aventura 37 has a total of 11 external handrails for total crew safety in all circumstances.

STANDARD INTERIOR DESCRIPTION :

General :

Joinery, carpentry and furnitures in marine plywood colors black, white, washed oak and cream laminate finish.
Marine plywood inner floors covered with high strength tiles.
Door handles with locks, push buttons and stainless steel hinges.
Wall and ceiling tiles in water-repellent expanded fabric.
Machine washable upholstery covers and mattresses.

Square/kitchen equipment and fittings :

Integral lathing in high strength slabs.
Panoramic vision thanks to the windscreen realized by gluing 4 fixed panels in Altuglass thickness 15mm and 2 ventilation panels Giot Luxair 350 x 499mm.
Total of 5 halogen ceiling lights 20W in the lounge/kitchen/chart table.
Various independent and collective switches for cockpit/lounge/kitchen/chart table lighting.

Kitchen :

Tray for worktop and kitchen in Corian.
Flush-mounted polished stainless steel sink with Corian drain system, cap and lid.
Mirror polished stainless steel tap with hot and cold fresh water under pressure.
Refrigerator/freezer 12V : 275L of which 75L freezing.
Built-in bin in cabinet under worktop with tray and cover in black ABS (volume 25L).
Eno Inox recessed gas stove table with 2 lights and electronic ignition Piezzo, thermocouple safety, tempered glass cover and pots and pans kit. Power of lamps 1,75kW and 2,5kW.
Stainless steel Eno gas oven : 1.8kW power.
Low cabinet under table stove with door in washed oak laminate finish, push buttons and stainless steel hinges.
High cabinet above the oven with door in washed oak laminate finish, push buttons and stainless steel hinges, reserved space for optional microwave. Additional storage space above the cabinet.
Low cabinet under worktop with doors in washed oak laminate finish, push buttons and stainless steel hinges, reserved space for dishwasher optional.
Low stand under sink with door in washed oak laminate finish, push button and stainless steel hinges.

Lounge :

U-shaped sofa with 4 storage volumes under seats. Additional storage volumes above the sofa on top in white laminate finish with brushed aluminum fiddles around the panoramic.
1 large square table 140 x 80cm in laminated finish washed oak on 2 fixed legs Aluminum.
Optional TV screen slot.

Chart table:

Top for chart table in cream laminate finish with storage desk.
High furniture with front in black laminated finish including : complete electrical panel, optional navigation electronics location, 2 independent gas oil gauges with backlight, 1 freshwater gauge with switch for tank 1 or 2 and backlighting, 1 reading light with integrated switch, 1 12V socket, 1 voltage controller with switch for the 3 batteries.
Various independent and collective switches for square lighting/chart table.

Port Descent and corridor (Guest Hull) :

Direct access to the front, rear and bathroom cabins by stairs made of marine plywood covered with high strength Marine plywood doors in white laminate finish, handles with stainless steel locks and hinges.

- 1 20W halogen spot ceiling light with independent switch.
- 1 Stainless steel handrail.

Shower room and WC port cabins (Guest hull) :

Corian washbasin with chrome-plated brass bung. Gravity discharge.

Mirror polished stainless steel faucet with fresh water hot and cold under pressure for sink.

High furniture with mirror and doors in washed oak laminate finish, push buttons and stainless steel hinges.

Low furniture with doors in washed oak laminate finish, push buttons and stainless steel hinges.

1 manual toilet with gravity discharge.

Shower with faucet mirror polished stainless steel faucet with hot and cold water under pressure.

Evacuation by automatic electric bilge pump.

- 1 20W halogen spot ceiling light with independent switch.

Port Forward Cabin (Guest Hull) :

Double sleeping on foam mattress with «Coutil Tricot Pullman» cover in 140 x 200cm comfort. Additional storage space under sleeping.

Dressing room, wardrobe and storage equipment with facades and doors in washed oak laminate finish, push buttons and stainless steel hinges.

2 10W halogen spot lights with integrated switches.

1 20W halogen spot ceiling light with independent switch.

1 Porthole Giot Luxair 171 x 347mm on Altuglass panel 15mm thick in outer shell.

1 12V socket.

Turnaround sign required.

Port Aft Cabin (Guest Hull) :

Double bed with side access on foam mattress with «Coutil Tricot Pullman» cover 150 x 200cm. Additional storage space under sleeping.

Dressing room, wardrobe and storage equipment with facades and doors in washed oak laminate finish, push buttons and stainless steel hinges.

2 10W halogen spot lights with integrated switches.

1 20W halogen spot ceiling light with independent switch.

1 Giot Luxair air window 191 x 449mm with inside edge.

1 Giot Luxair 176 x 425mm rear side window.

1 12V socket.

Descent and Starboard Corridor (Owner Hull) :

Direct access to the dressing room, wardrobe and storage equipment with facades and doors in washed oak laminate finish, push buttons and hinges Stainless steel by stairs made of marine plywood waterproof covered with high-strength PVC tiles.

Closing of the descent by a custom galandage door in black powder-coated aluminum with 2 sandblasted glass winders and locking by latches in open/closed position.

2 20W halogen spotlight ceiling lights with independent switch.

1 Stainless steel handrail.

Starboard Aft Cabin (Owner Hull) :

Double bed with side access on foam mattress with «Coutil Tricot Pullman» cover 150 x 200cm. Additional storage space under sleeping.

Dressing room, wardrobe and storage equipment with facades and doors in washed oak laminate finish, push buttons and stainless steel hinges.

Office area with desk, storage cabinet with facades and doors in washed oak laminate finish, push buttons and stainless steel hinges.

2 10W halogen spot lights with integrated switches.

1 20W halogen spot ceiling light with independent switch.

1 Goiot Luxair air window 191 x 449mm with inside edge.

1 Goiot Luxair 176 x 425mm rear side window.

2 12V sockets.

Shower room and WC on starboard bow (Owner hull) :

Corian washbasin with chrome-plated brass bung. Gravity discharge.

Mirror polished stainless steel faucet with fresh water hot and cold under pressure for sink.

High furniture with mirror and doors in lacquered grey laminate finish, push buttons and stainless steel hinges.

Low furniture with doors in washed oak laminate finish, push buttons and stainless steel hinges.

1 manual WC with 1 80L holding tank with solenoid valve and remote control, gravity discharges and air-conditioning by carbon filters.

Shower cabin with Stainless steel mirror polished tap with hot and cold water under pressure.

Evacuation by automatic electric bilge pump.

2 20W halogen spotlight ceiling lights with independent switches.

1 Porthole Goiot Luxair 171 x 347mm on Altuglass panel 15mm thick in outer shell.

Turnaround sign required.

Optional washing machine space.

TECHNICAL EQUIPMENT :

Plumbing:

- 2 Aluminum freshwater tanks of 250L each, for a total of 500L under square floor.
- Freshwater gauge with switch for tank 1 or 2 and backlight.
- 2 Diesel tank of 250L in Aluminium per engine, a total of 500L under the rear berths.
- 2 independent gas oil gauges with backlight.
- 1 Independent pressurised water unit with expansion vessels and filter.
- 1 40L electric water heater on motor exchanger.
- 1 WC manual hull Owner with 1 Holding Tank of 80L with solenoid valve and remote control, discharges by gravity and nable, open air by carbon filters.
- 1 WC manual Guests with evacuation by gravity.
- Water circuit plumbing in rigid PER food pipes, and extra wide clamps.
- Gasoil circuit plumbing and exhaust in braided hoses and extra-wide collars.
- 2 Electric and automatic bilge pumps 40L/min (1 per shell).
- 2 Electric and automatic bilge pumps 40L/min (1 per motor wedge).
- 1 Emergency manual diaphragm bilge pump with 15m flexible hose.
- Gas network for oven and stove (14 kg cylinder not supplied).

Aventura 37 has a total of 4 electric and automatic bilge pumps and 1 emergency manual bilge pump.

Electricity :

12V DC operating voltage including :

- 2 77AH batteries dry (one per engine, maintenance-free).
- 1 225AH AGM Dry Service Battery (maintenance-free).
- 1 Voltage controller with switch for 3 batteries.
- 1 Battery coupler.
- 2 80A/12V motor alternators for batteries.
- Full backlit electric panel with 12V functions of the boat.
- Total of 6 12V sockets:
 - 1 on a chart table, 1 in the steering stand, 2 in the owner's cabin and 1 in each guest cabin.
- Interior/exterior ceiling lights with 20W halogen spots with polished stainless steel finish.
- 10W halogen spot lights.
- Various integrated, independent and collective switches for artificial lighting.

AVENTURA 37 OPTIONS DESCRIPTION :

Easy Sail Pack :

The Easy Sail package includes all the minimum sail options recommended by the construction site to choose when building your Aventura 37. You will find in addition and/or standard replacement the following options :

- Selden Genoa Reel and UV Band
- Lazy bag Elvstrom
- GV Full Batten Selden Dollies (replacing standard slides)

Comfort Pack :

The comfort package includes all the minimum comfort options recommended by the construction site to choose when building your Aventura 37. You will find in addition and/or standard replacement the following options :

- Cockpit upholstery + 1 cockpit sunbathing
- Outdoor shower with hot/cold tap (as a replacement for standard cold)
- 1000W Power Windlass (replacement to standard)
- 220V-50Hz network, 35A charger, 8 plugs and network panel
- 225Ah AGM service battery (in addition to standard)
- Apollo 770 Radio Assembly and 4 Fusion Speakers
- Low power LED interior and exterior lighting (as a replacement for standard)
- Interior and exterior courtesy lighting
- Cabin and Corridor Curtains
- Square curtains
- Antifouling and primary
- Mooring with Spade anchor 20kg + 75m chain

Selden Genoa furler and UV strip :

For greater comfort of use and protection of sails, this option offers the replacement of the standard genoa system on carabiners by a genoa (36m²) in Dacron 1st choice with UV band in Sunbrella. The Selden winder is rigged for a return of the winder bump to the manoeuvring station.

Choice of colors among 8 shades.

Elvstrom Lazy bag :

For greater comfort of use and protection of the sails, the lazy bag in Sunbrella is essential to leave the Main sail always at the post. Choice of colors among 8 shades.

Selden Full Batten Mainsail bearing system tracks and travellers (replacement of standard sliders) :

For greater ease of use and performance, the replacement of the standard GV slides by the GV Full Batten rail and trolley system by Selden is the last option of the Easy Sail Pack.

Selden Mainsail manual furler mast and Selden Genoa furler and UV strip :

For total comfort in all circumstances, the construction site now offers the complete replacement of the mast and the standard Mainsail by a mast with type 7/8 winder of 16,50m anodized aluminum with 1 stage of boom bars. This option requires a 55m² GV instead of a standard 58m².

Elvstrom DCX Mainsail and Genoa (supplement to standard) :

For ever more performance, the shipyard offers you instead of standard sails in Dacron, a set of sails in DCX Elvstrom.

Bimini Skipper :

For days of strong sun or rain, the Bimini in stainless steel structure Ø30mm and Sunbrella canvas are indispensable for the protection of the Skipper. Choice of Sunbrella colours from 8 shades.

Bimini side curtains Skipper :

For even more protection against the elements, the canvas tour completes the Bimini Skipper for the total closing of the operating stations and helm. Choice of colors of Sunbrella among 8 shades.

Canvas awning for cockpit closing :

For capricious seasons or more privacy, the Sunbrella canvas tower with transparent PVC opening is the ideal solution to enjoy the cockpit in any season. Choice of Sunbrella colours from 8 shades.

Batyline canvas for saloon glazing :

For sunny days, the protective Batyline canvas is the solution to clip on the glazing of the saloon.

Front shading sail :

For idleness, the front shade sail will allow you to enjoy the trampoline all day.

Pilot consol cover :

White plastic cover for bar and console station protection.

Cockpit upholstery + 1 cockpit sun bathing mattress :

For maximum comfort in the cockpit, the yard offers a set of seat cushions and backrests for cockpit, rudder and mattress for the cockpit sun bath. Choice of colors from 10 shades.

Roof sun bathing with stainless steel balcony :

For sunbathing at anchor, the roof sunbathing is composed of a Ø25mm stainless steel balcony on cap with cushions and mattresses. Not navigation. Choice of colors from 10 shades.

Front sun bathing mattress (unit) :

Sunlounger mattress in mast foot, so that each crew member has a sunbathing personal. Choice of colors from 10 shades.

Powder-coated aluminium davits for dinghy :

2 powder-coated Aluminium davits with Delrin reams.

Double 2-strand hoists with pulleys and return to Winch Harken ST15 at 1 speed.

Locking of the 2 hoists on the respective cleats.

Winch crank supplied as standard.

Maximum length recommended for the dinghy: 3,00m

Electric winch Harken 40 STA (unit, replacement of standard) :

For optimal manoeuvring comfort, the yard suggests replacing the standard Harken main winch with a 40 STA electric Harken 2-speed winch with remote control.

Teak laid for cockpit and transoms :

For a more warm and friendly touch, the yard offers you to cover the standard anti-slip with by a full Teak laid for cockpit and transoms.

Hulls gelcoat color (replacement of standard) :

Each Aventura is already unique. The yard offers you to make your 37 even more unique with a choice of color of isophthalic gelcoat among dozens of references. For more information, contact site or dealer.

External shower with hot/cold mixer tap (replacement of cold standard) :

Replacement of the standard with a deck shower with hot/cold water mixer.

Nautex composite gangway :

For the Mediterranean ports, the addition of a Nautex FPT PVC dock bridge allows a safe landing ashore. Other options can complete the customization of your walkway such as the name of the boat printed on the anti-slip, the stainless steel bracket, a trapeze for stainless steel lifting device or a storage bag. For more information, contact site or dealer.

Elvstrom Gennaker with furler and fittings :

For a complete wardrobe and to fully enjoy the performance of your Aventura 37, a second front sail is essential. The choice of Gennaker offers versatility and ease of use.

Gennaker Elvstrom (60m²) on Selden storage unit with endless end. Locking on aluminium plug.
End outside and Selden crow's foot, held by Sandow, end of amure on Harken pulley and lock on Lewmar cleat.
Polyester headers sent back to the Harken Pulley Circuit Manoeuvring Station, Harken Winch Blocking 2-speed ST40 on standard manoeuvring station.
Choice of colors from 3 colors: 3 colors maximum.

Elvstrom Asymmetric Furlstrom Spinnaker with furler and fittings :

For a complete wardrobe and to fully enjoy the performance of your Aventura 37, a second front sail is essential. The choice of the Spinnaker Elvstrom asymmetrical Furlstrom offers better performance from through to wide width while remaining easy to use.

Elvstrom asymmetric spinnaker (85m²) on Selden storage unit with endless tip. Locking on Aluminium headset.
End outside and Selden crow's foot, held by Sandow, end of amure on Harken pulley and lock on Lewmar cleat.
Polyester headers sent back to the Harken Pulley Circuit Manoeuvring Station, Harken Winch Blocking 2-speed ST40 on standard manoeuvring station.
Choice of colors from 11 colors: 3 colors maximum.

Elvstrom Symmetric Spinnaker with sock and fittings :

For a complete wardrobe and to fully enjoy the performance of your Aventura 37, a second front sail is essential. The choice of the symmetrical Spinnaker Elvstrom offers the best performance in the tailwind for endless surfs.

Elvstrom symmetrical spinnaker (90m²) with sock.
Polyester headers sent back to the Harken Pulley Circuit Manoeuvring Station, Harken Winch Blocking 2-speed ST40 on standard manoeuvring station.
Choice of colors from 11 colors: 3 colors maximum.

2 Flexofold two-bladed folding propellers for 20hp (replacement of standard) :

For a high performance gain under sails and engines, the yard suggests the replacement of the standard twin-blade propellers with 2 folding Flexofold propellers. Water lubrication system, requires no lubrication. Only on standard motorization.

2 Flexofold three-bladed folding propellers for 30hp (replacement of standard) :

For maximum performance under sails and engines, the yard suggests replacing the three-blade propellers of the 2x30hp motorization option with a 2-propeller Flexofold foldable. Water lubrication system, requires no lubrication. Only on 30hp motor.

Engines 2x30hp Yanmar (replacement of standard) :

Replacement of standard Yanmar 20hp 3-cylinder engines with Yanmar 30hp 3-cylinder engines. 2 125A/12V motor alternators for batteries.

Electric windlass 1000W (replacement of standard) :

Replacement of the standard manual windlass by a 1000W electric windlass with wired remote control connected in the mooring compartment.

Shore power 110V-60Hz, galvanic insulator, 35A charger, 8 sockets and control panel :

Installation of an alternative 110V-60Hz power supply system, a 35A battery charger and 8 110V sockets including 1 on chart table, 1 per guest cabins, 2 in owner cabin, 1 in kitchen, 2 in the saloon.

Shore power 220V-50Hz, 35A charger, 8 sockets and control panel :

Installation of an alternative 110V-60Hz power supply system, a 35A battery charger and 8 110V sockets including 1 on chart table, 1 per guest cabins, 2 in owner cabin, 1 in kitchen, 2 in the saloon.

Cabin fan 12V (unit) :

Installation of an individual fan with independent switch control.

Victron Inverter 12/220V - 2KW :

Installation of a Victron 12V to 220V 2 KW converter.

Service battery 225Ah AGM (additionnal of standard) :

Installation of a second dry service battery of 225AH AGM in addition to the standard for a total power of 450AH.

Generator 5kW :

For an almost total autonomy in energy, the yard suggests the installation of a 5Kw generator, soundproofed and connected to the main tanks. For more information, please contact the construction site or its dealers.

Webasto heating pack for saloon/cabins and bathroom :

Installation of a technical compartment and various equipments for the installation of a custom Webasto multi zone heating. For more information, please contact the construction site or its dealers.

Air conditioning pack for saloon/3 cabins :

Installation of a technical compartment and various equipments for the installation of a custom multi-zone air conditioning. For more information, please contact the construction site or its dealers.

Air conditioning pack for saloon/4 cabins :

Installation of a technical compartment and various equipments for the installation of a custom multi-zone air conditioning. For more information, please contact the construction site or its dealers.

Watermaker 60l/h :

For total autonomy in fresh water, the yard suggests the installation of a 60L/h watermaker, soundproofed and connected to the main tanks. For more information, please contact the construction site or its dealers.

2x120W solar panels and regulator :

Installation of 2 solar panels with a total power of 240W with charge regulator.

Apollo 770 Radio Set and 4 Fusion Speakers :

Apollo 770 USB/mp3/Bluetooth radio with a total of 4 Fusion speakers.
(2 waterproof in cockpit + 2 standard in saloon).

Interior and exterior lighting with low consumption LED (replacement of standard) :

Replacement of ceiling lights as standard with low power led ceiling lights.

Interior and exterior courtesy lighting :

Installation of a low consumption led courtesy lighting circuit in the skirts, cockpit and saloon.

TV 32' Smart-TV :

Set up a 32' Smart-TV in the saloon.

TV / HIFI Antenna :

GLOMEX amplified TV antenna and AM/FM radio.

Garmin Pack n°1 :

Package including GPS GPSMAP 922 Plus 9 inches Garmin, gWind wired weathervane sail with GMI20 and DST800, REACTOR 40 autopilot on electric cylinder, VHF 215i, transponder AIS 800 and its antenna GPS/GLONASS GA38.

Garmin Pack n°2 :

Package including GPS GPSMAP 1222 Plus 12 inches Garmin, gWind wired weathervane sail with GMI20 and DST800, REACTOR 40 autopilot on electric cylinder, VHF 15i, AIS transponder 800 and its GPS antenna/GLONASS GA38, additional pilot controller GHC 20, additional navigation unit GMI 20 and microphone handset GHS 11i.

GPS MAP 922 (additional to the pack) :

GPS GPSMAP 922 9 inches Garmin without maps in addition to the pack.

GPS MAP 1222 (additional to the pack) :

GPS GPSMAP 1222 9 inches Garmin without maps in addition to the pack.

Radome Radar Garmin (additional to the pack) :

Garmin High Definition Radome for sharper radar images and excellent target discrimination.

Convertible saloon table (replacement of standard) :

Replacement of 2 standard square table legs with 2 mirror polished light alloy table supports. Tri-telescopic legs with gas springs. Side supports for shelf seat. Cushion transforming the sofa into a double bed 182cm x 137cm. Colors identical to the interior cushions.

Teak cockpit table (replacement of standard) :

Replacement of the standard cockpit table in oak laminate washed by solid Teck.

Holding tank 80L with electric valve (unit, maximum of 2 units on board) :

Technical compartment for Holding Tank 80L, solenoid valve with remote control and piping, easy access for maintenance.

Electric toilet (unit, replacement of standard) :

Replacement of the manual WC as standard by an electric WC Sanimarin with flush and shredder 12V..

Color change of saloon fabrics (replacement of standard) :

Replacement of the standard white color of the fabrics of the square. Choice of colors among 10 shades.

Cabin and corridor curtains :

Custom curtains in cabins and corridors.

Saloon curtains :

Custom curtains in the saloon.

Slatted bed base (unit, replacement of standard) :

Installation of an airy slatted box spring on the wooden frame of the bed.

Built-in microwave oven 220V :

Installation of a 220V microwave oven and its reserved location connected to the electrical circuit. For more information, please contact the construction site or its dealers.

Washing machine 3kg :

Custom-made fittings for the installation of a 3kg washing machine. For more information, please contact the site or its dealers.

Eno Plancha Gas for cockpit :

Installation of an Eno gas plankha connected to the gas circuit in its reserved location in the cockpit.

Dishwashing machine 6 place setting capacity :

Custom fitting in the kitchen for the installation of a dishwasher 6 cutlery. For more information, please contact the construction site or its dealers.

Anti-osmosis preventive treatment :

Preparation and manual application of a layer of a preventive anti-osmosis solution based on epoxy resin without TO26 solvent and then a PR20 bi-component epoxy primer.

Antifouling and primary:

Preparation and manual application of a primer then 2 coats of antifouling..

Mooring with anchor Lewmar 20kg + 75m chain :

Complete mooring line with 75 meters of 10mm chain + 20kg anchor Lewmar.

Mooring with anchor Spade 20kg + 75m chain :

Complete mooring line with 75 meters of 10mm chain + 20kg Spade anchor.

Dinghy 2.90m with 6hp outboard engine :

Supply of a dinghy and with 6hp outboard engine.

For more information, please contact the construction site or its dealers.

The essential on board (safety equipment, maintenance and miscellaneous) :

Safety :

6 hydrostatic Pilot Race 150N self-inflatable vests with subcutaneous, straps, flash lights and 8 harnesses, horseshoe buoy with cover, turning light and 40m floating line.

Starboard and port lifeline on carabiners to hit on 4 Wichard folding cadènes.

BIB in container 6 people Transocean and armament higher than 24 hours.

1 Offshore First Aid Kit, 3 1 kg foam fire extinguishers with gauge and bracket, 1 tubular radar reflector, 1 standing and current rigging shear, 1 fog horn, 1 black ball, 1 black cone, 1 bearing compass.

1 signal mirror, 1 pair of binoculars, 1 set of pinoches, 1 portable VHF, a 12V searchlight.

1 Waterproof torch, 1 gaff, 40m tow rope Ø16mm, 1 mast chair.

1 Box with 3 automatic red lights, 3 parachute rockets, 2 floating smoke.

(Navy Block, National Flag and batteries not provided).

Maintenance and miscellaneous :

1 bucket with 2 sponges, 1 brush, 1 soft brush, 1 hose on hose reel with lance, quick coupling and adapter for tap, 1 hull cleaner and 1L bridge to dilute.

Stainless steel gates for rear cockpit closure (replacement of wiring standard) :

Replacement of standard stainless steel dies by 2 Yacht type stainless steel doors.

Launching, 6 fenders, 4 ropes, preparation and commissioning :

This option includes launching the boat following its departure from the site, its masting, adjustments and other administrative formalities as well as the supply of 6 fenders and 4 15m Ø18mm moorings.

Transport site/ port of Bizerte. Delivery 1 day.

Full of fresh water, full diesel tanks at 30% with starting engines (commissioning not included).

Boat name in adhesive letters: maximum 10 letters.

Delivery and registration : contact yard or dealer.

Miscellaneous (on request) :

Possibility of e-hybrid version (total or partial electric motor).

International delivery by professional crew.

For more information : contact yard or dealer.

VERSIONS :

Version Trio :

Replacement of the standard hull configuration Guests port by a version with 2 independent shower rooms. See annexe.

Version Quatro :

Replacement of the Owner Standard Starboard Hull Configuration with a Standard Guest Hull (Cabins and shower rooms). See annexe.

Version Charter :

Replacement of the standard configuration with a configuration with 4 cabins and 4 independent shower rooms. See annexe.

Note :

The addition of certain options may influence the weight and certain technical parameters of the boat. The additional option prices include the cost of installation. For more information : contact the yard or the dealer.

This is a non-contractual document. The information contained herein is correct and accurate, as of the date printed.

However, we continually make efforts to improve our models by modifying available features, equipment and brands.

As such, the information and pricing are subject to change without prior notice.

OTHER OPTIONS CAN BE INSTALLED ON REQUEST BY THE YARD OR ITS DEALERS.






The yard remains at your disposal for any questions or suggestions on :

aventura-catamarans@stgi-marine.com

or on 00 216 72 473 347

AVENTURA 37



RAL COLORIS COUSSINS INTERIEURS / EXTERIEURS



Document illustratif non contractuel. Veuillez vous référer aux nuanciers RAL originaux pour une reproduction exacte des couleurs.

AVENTURA 37



RAL COLORIS LAZY BAG / BANDE UV / BIMINI



Document illustratif non contractuel. Veuillez vous référer aux nuanciers RAL originaux pour une reproduction exacte des couleurs.

COLORIS GENNAKER AVENTURA 37


Choix parmi 3 teintes. 3 coloris maximum.
Nombre de laizes donné à titre indicatif.
Document illustratif non contractuel.



COLORIS SPI ASYMETRIQUE AVENTURA 37

Choix parmi 11 teintes. 3 coloris maximum.
Nombre de laizes donné à titre indicatif.
Document illustratif non contractuel.


- | | |
|--|-----------|
|  | White |
|  | Grey |
|  | Black |
|  | Red |
|  | Pink |
|  | Orange |
|  | Yellow |
|  | Green |
|  | Turquoise |
|  | Blue Sky |
|  | Blue Navy |



COLORIS SPI SYMETRIQUE AVENTURA 37

Choix parmi 11 teintes. 3 coloris maximum.
Nombre de laizes donné à titre indicatif.
Document illustratif non contractuel.


- | | |
|--|-----------|
|  | White |
|  | Grey |
|  | Black |
|  | Red |
|  | Pink |
|  | Orange |
|  | Yellow |
|  | Green |
|  | Turquoise |
|  | Blue Sky |
|  | Blue Navy |



Aventura 37

Version 4 cabines 4 Sbd

Version Charter




LASTA
Design Studio

Aventura 37

Version 4 cabines 2 Sbd

Version Quatro




LASTA
Design Studio

Aventura 37

Version master + 2 cabines 2 Sdb


Version Standard



LASTA[®]
Design Studio

Aventura 37

Version master + 2 cabines 3 Sdb



Version Trio

LASTA
Design Studio