



# Technical Specifications



## Contents

---

Technical characteristics.....	1
Construction.....	2
Steering gear .....	2
Sails and rigging.....	2
Hardware.....	3
Mooring.....	3
Engines .....	3
Plumbing.....	3
Electrical .....	4
Deck layout.....	5
Windows, openings and ventilation.....	6
Interior layouts .....	7
4 cabin 4 heads version .....	8
5 cabin 5 heads version.....	13
6 cabin 6 heads version .....	18

## Technical characteristics

Length overall	16.56 m / 54'4"
Waterline length	16.39 m / 53'9"
Maximum beam	9.00 m / 29'6"
Air draft	29.43 m / 96'7"
Draft	1.55 m / 5'1"
Displacement (CE)	26.5 T / 58,433 lbs
Upwind sail area (std mainsail)	181 m <sup>2</sup> / 1,948 sq.ft
Upwind sail area (square top mainsail)	186 m <sup>2</sup> / 2,001 sq.ft
Fully battened mainsail	107 m <sup>2</sup> / 1,151 sq.ft
Square top mainsail (option)	112 m <sup>2</sup> / 1,205 sq.ft
Self-tacking jib	74 m <sup>2</sup> / 796 sq.ft
Spinnaker	272 m <sup>2</sup> / 2,927 sq.ft
Code 0 (option)	154 m <sup>2</sup> / 1,657 sq.ft
Fresh water capacity	960 L / 254 US gal
Fuel capacity	1,100 L / 291 US gal
Engines	2 x 80 HP YANMAR (standard) 2 x 115 HP NANNI (option)
Architects	VPLP Design
Exterior Design	Patrick le Quément
Interior Design	Nauta Design
Number of berths	8 to 16
CE Certification	A : 14 - B : 14 - C : 20 - D : 30

## NORTH AMERICAN SPECIFICATIONS

*Only for boats sold in the US*

- 120V Electric panel and electric equipment
- US 120V outlets
- Gas propane circuit with solenoid valve

## Construction

- Construction: Polyester and high quality anti-osmotic resin
- Hull, deck and coachroof in infusion
- Balsa core hull, solid laminate areas under waterline, white gel coat
- Balsa core bridge deck and deck
- Bulkheads laminated or glued in plywood or balsa sandwich

## Steering gear

- 2 suspended rudder blades: foam sandwich with stainless steel shaft
- Aluminum rudder tubes fixed on the lower bearing
- Hydraulic steering transmission (1 ram per rudder)
- Emergency tiller

## Sails and rigging

### SAILS

- 1 high roach mainsail in Dacron with battens
- 1 self-tacking jib in Dacron on furler with UV protective band

### STANDING RIGGING

- Anodized aluminum mast with mainsail ball bearing car track system
- Integrated folding steps at mastfoot and masthead
- 2 set of spreaders
- Anodized aluminum boom
- 2 encased lower shrouds
- 2 encased cap shrouds
- 2 shroud chainplates
- 1 forestay chainplate
- 1 forestay with furler for self-tacking jib
- Adjustable lazy-jacks
- Deck light on mast

### RUNNING RIGGING

- 1 double-purchase mainsail halyard
- 1 self-tacking jib halyard
- 1 mainsheet
- 1 self-tacking jibsheet
- 2 automatic reefing lines (1<sup>st</sup> and 2<sup>nd</sup> reef)
- Traditional 3<sup>rd</sup> reef (with strap)
- Mainsail traveler control lines (starboard / port)
- 1 boom topping lift
- 1 bosun's chair halyard for the jib
- 1 downhaul halyard

## Hardware

- 2 manual winches size 60.2 STA
- 1 manual winch size 50.2 STA
- Mainsail track and ball-bearing car
- 2 mainsheet traveler clutches
- 1 self-tacking jib
- Blocks
- Clutches
- Aluminum cross beam with fixing point for jib furler and bow anchor roller

## Mooring

- Composite compression beam with integrated chain run and mooring cleat
- 8 mooring cleats
- 2000W / 24V electrical windlass with vertical axis, on deck, chain 12mm
- Windlass remote control in chain locker
- Access to windlass and chain locker

## Engines

- 2 YANMAR 4JH80 80HP common rail saildrive diesel engines
- 2 harnessed alternators: 24V – 60A
- Fixed three blades propeller
- Sea water filter
- Mechanical engine throttles at the helm station
- Engine compartment ventilation by 24V electric extractors
- Fuel circuit:
  - 2 x 550L / 145 US gal aluminum fuel tanks
  - Diesel filters
  - Diesel shutoff valve (fire extinguisher handles panel on starboard)
  - Fuel gauge on the general control panel on touch screen
- Access to the engine compartments via hatches with gas struts

## Plumbing

### FRESH WATER CIRCUIT

- Fresh water tanks: 4 x 240L / 63 US gal under the floors
- Gauge at the general control panel on touch screen
- Fresh water system with 36L / 10 US gal / mn main water group
- 60L / 16 US gal water heater, 230V engine exchanger for 4 and 5 cabins versions
- 100L / 26 US gal water heater, 230V engine exchanger for 6 cabins version.

### GREY WATER CIRCUIT

- Evacuation of grey water from cockpit and saloon direct to sea

- Evacuation of grey water from heads: shower and sink grey waters drain to grey water sump integrated in the composite shower tray. Dedicated unit pump

## BLACK WATER CIRCUIT

- Gravity-draining black water tank:
  - 4-cabin version: 344L / 91 US gal (1 x 33 US gal + 2 x 19 US gal)
  - 5-cabin version: 374L / 99 US gal (1 x 41 US gal + 3 x 19 US gal)
  - 6-cabin version: 456L / 120 US gal (2 x 41 US gal + 2 x 19 US gal)
- Manual fresh water WC
- Tank discharge via deck discharge points or direct to sea

## BILGE PUMP SYSTEM

- 1 manual bilge pump in each hull and operated from the aft cockpit
- 1 automatic and electric bilge pump in each engine compartment
- Connection of the engine compartments and forepeaks to the main pump and sump
- Bilge pump management on general control panel (alarm signal at chart table and on flybridge)
- Self-draining cockpit compliant with CE certification

## Electrical

### DC POWER CIRCUIT - 24V

- 2 engine batteries: 12V – 50A (AGM)
  - 1 harnessed alternator: 12V – 125A
  - Battery shutoff switch in each engine compartment
- 6 service batteries: 12V – 140A (AGM)
  - 1 harnessed alternator: 24V – 60A per engine
  - Battery shutoff switch in the front technical compartment

### ELECTRIC DISTRIBUTION PANELS

- 24V general distribution panel in starboard companionway
- 24V USB socket incorporated in the electrical panel

### AC POWER CIRCUIT 230V

- 24V/230V 50Hz 1200VA inverter for gas stove, standard refrigerator

## LIGHTING

- General switch on / off control on touch screen at starboard companionway
- Exterior lighting:
  - LED navigation lights
- 24V interior lighting:
  - Recessed LED spotlights in ceiling
  - LED reading light next to bunks

- LED chart table light
- LED reading light at desk
- Engine compartment LED lighting

## **Deck layout**

### **TRANSOM**

- Hot/cold deck shower on starboard
- Stainless steel telescopic swim ladder with fixed handle on starboard

### **AFT COCKPIT**

- Large cockpit usable as a deck saloon, protected by a hard top bimini
- U-shaped bench with large storage locker on starboard side
- Lounger with storage locker to port
- Gas locker in cockpit under seats. Capacity: 2 x 6Kg or 13Kg
- Polyester cockpit table for 10 people on port side
- Exterior furniture to port:
  - Sink integrated into the composite furniture unit
  - Chopping board
  - Tray and cup holder
  - Double door with shelves for storage
- Composite non-streaming toe rails on cockpit sides
- Cockpit flush-decked with saloon
- Lockers under aft cockpit sole
- Non-slip cockpit sole

### **FLYBRIDGE**

- Stairway access from cockpit on port side
- L-shaped bench seat with storage locker
- Space for sunbathing area aft of the bench seat
- Access to storage lockers under sunbathing area (2)
- Sunbathing area at front of coachroof
- Ergonomic helm station to starboard with:
  - Console for screens and instruments
  - Engine throttles and panel
  - Compass
  - Leather covered steering wheel and brake ø900mm
  - Helm seat
  - Cup-holders and storage
  - Switches for lighting
  - Various halyard storage spaces
  - 24V USB socket at helm station

## FORWARD COCKPIT

- U-shaped seating area with technical locker access
- Nylon netting
- Windlass cover

## FOREPEAKS

- Forepeaks with access through T60 lockable, flush deck hatches
- S/S ladder
- Interior finish in white top coat
- Grey non-slip floor
- LED lighting

## STANCHIONS AND LIFELINES

- Transoms and cockpit pushpits: 715 mm / 2'4"
- Stanchions (x10): H 700 mm 2'/3'
- Double S/S lifelines

## **Windows, openings and ventilation**

- Sliding door (3 sliding panels)
- Glazing around coachroof with opening forward
- Overhead coachroof windows
- Deck hatches:
  - Flush deck hatch T10 (quantity 6)
  - Flush deck hatch T44 (quantity 4)
  - Flush deck hatch T60 (quantity 2)
- Hull windows
  - PMMA fixed side windows with integrated opening hatch:
    - 4-cabin version: 5 opening hatches
    - 5-cabin version: 5 opening hatches
    - 6-cabin version: 6 opening hatches
- Access aft cabins
  - 5-cabin version: 1 companionway to starboard
  - 6-cabin version: 2 companionways



## Interior layouts

### GENERAL

- Construction in Alpi plywood, horizontal grain
- Laminate flooring: Asburgo
- Leatherette covered handrail
- Headlinings in padded forex in saloon, cabins and heads
- Hull linings in padded plywood in the cabins

### STANDING HEADROOM

- Saloon: 2.10 m / 6'9"
- Forward cabin: 2.00 m / 6'6"
- Aft cabin: 2.00 m / 6'6"
- Owner's head: 2.00 m / 6'6"
- Head: 2.00 m / 6'6"
- Cockpit: 2.10 m / 6'9"

### MATTRESSES AND UPHOLSTERY

- Marine mattresses made of multi-layer alveolar foam with several densities (tick. 120mm / 5")
- Mattresses treatment: anti-microbial, anti-bacterial, non-allergenic, anti-dust mite
- Synthetic fabrics adapted to marine environment:
  - Washable (40°C / 104°F)
  - U.V. resistant
  - Water repellent, with anti-stain treatment
- Blinds and curtains:
  - Pleated fabric curtains for saloon
  - Blind model pleated-shade, blackout fabric for cabins
  - Roller blind in waterproof fabric for shower and head

## 4 cabin 4 heads version



### GALLEY (to starboard)

- Access through glazed sliding door with aluminum latch, lockable in open or shut position
- L-shaped galley area with:
  - Corian® countertop
  - Double sink
  - Hot/cold mixer tap
  - Waste bin integrated under the countertop 50L / 13 US gal
  - 4-burner gas stove
  - Gas oven
  - Storage:
    - Low storage unit shelf behind simple door
    - Storage under sink
    - 3-drawer unit including cutlery drawer
    - Storages on plat-bord
    - Bar:
      - Bottle rack (11 bottles) accessible from above
      - Drawers under bottle rack (2)
  - Open and closed high-level storage units

### CHART TABLE (port)

- Wood chart table incorporating standard electrical equipment
- Desk lid
- Closed high-level storage units
- Bookshelf
- Door with shelves in the lower part

- Stool

## SALOON

- U-shaped sofa
- High wooden table
- Storage under floor (4)
- Lockers under bench seat (2)
- Bookshelf accessible forward, behind the seat



## PORT HULL

### Aft cabin

- Double bed with side access (1.70 x 2.00 m / 5'7" x 6'6")
- 2 bedside tables with shelves
- Storage drawers under bed (4)
- Desk with 2 drawers and bookshelf above
- Interior topsides:
  - 1 high-level unit with wardrobe in lower part, shelves above
  - 1 full-height unit with shelves
- Exterior topsides:
  - Door with storage shelves (6)
- 1 opening flush deck hatch T44
- 1 fixed hull window in PMMA, one with integrated opening hatch

### Aft head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap

- High storage unit with shelf behind the mirror and shelf with fiddle rail
- Low storage unit with shelf behind double door
- Separate shower with plexiglass door
- Corian® shower caillebotis
- Shampoo storage integrated in the composite shower block
- Manual WC fresh water
- 1 opening flush deck hatch T10
- Fixed hull window
- Towel hooks on head door (2)

#### Central passageway

- Exterior topsides:
  - Fridge & freezer: 230V 311L / 82 US gal (56 US gal + 26 US gal)
  - High and low-level unit with shelves
- Interior topsides:
  - Double door with shelves and wardrobe
- 1 opening flush deck hatch T10

#### Forward cabin

- Double bed with side access (1.60 x 2.00 m / 5'3" x 6'6")
- 2 bedside tables
- Storage drawers under bed (2)
- Interior topsides:
  - 1 full-height unit with shelves in lower part, wardrobe above
- Exterior topsides:
  - 1 full-height unit with wardrobe
  - Door with storage shelves (3)
- 1 opening flush deck hatch T44

#### Forward head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High storage unit with shelf behind the mirror
- Low storage unit with shelf behind double door
- Separate shower with plexiglass door
- Corian® shower caillebotis
- Shampoo storages integrated in the composite shower block (2)
- Manual WC fresh water
- High storage unit with shelves above WC
- 1 opening flush deck hatch T44
- Towel hooks on head door (2)

## STARBOARD HULL

### Owner's cabin

- Double bed with side access (1.70 x 2.00 m / 5'7" x 6'6")
- 2 bedside tables with shelves
- Storage drawers under bed (4)
- Desk with lid, 3 drawers and bookshelf above
- Sofa
- Interior topsides:
  - Wardrobe:
    - 4 high-level doors with wardrobe and shelves
    - Chest of drawers (2)
    - Mirror above the chest of drawers
- Exterior topsides:
  - Door with storage shelves (6)
  - Open bookshelves
- 1 opening flush deck hatch T44
- 1 fixed hull window in PMMA, one with integrated opening hatch

### Owner's head

#### Head area

- Corian® countertop
- Integrated sink with hot/cold mixer tap
- High storage unit with shelf behind the mirror
- Low storage unit with shelf behind double door

#### Shower area

- Separate shower with plexiglass door
- Corian® shower caillebotis
- Shampoo storage integrated in the composite shower block
- 1 opening flush deck hatch T10
- 1 fixed hull window in PMMA with integrated opening hatch

#### Separate toilet area

- Access from the head area via wood door
- Manual WC fresh water
- Outboard topside: low-level unit with mirror above
- 1 opening flush deck hatch T10

### Forward cabin

- Double bed with side access (1.60 x 2.00 m / 5'3" x 6'6")

- 2 bedside tables
- Storage drawers under bed (2)
- Exterior topsides:
  - 1 full-height unit with wardrobe
  - Door with storage shelves (3)
- 1 opening flush deck hatch T44

#### Forward head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High storage unit with shelf behind the mirror
- Low storage unit with shelf behind double door
- Separate shower with plexiglass door
- Corian® shower caillebotis
- Shampoo storages integrated in the composite shower block (2)
- Manual WC fresh water
- High storage unit with shelves above WC
- 1 opening flush deck hatch T44
- Towel hooks on head door (2)

## 5 cabin 5 heads version



### GALLEY (to starboard)

- Access through glazed sliding door with aluminum latch, lockable in open or shut position
- L-shaped galley area with:
  - Corian® countertop
  - Double sink
  - Hot/cold mixer tap
  - Waste bin integrated under the countertop 50L / 13 US gal
  - 4-burner gas stove
  - Gas oven
  - Storage:
    - Low storage unit shelf behind simple door
    - Storage under sink
    - 3-drawer unit including cutlery drawer
    - Storages on plat-bord
    - Bar:
      - Bottle rack (11 bottles) accessible from above
      - Drawers under bottle rack (2)
  - Open and closed high-level storage units

### CHART TABLE (port)

- Wood chart table incorporating standard electrical equipment
- Desk lid
- Closed high-level storage units
- Bookshelf

- Door with shelves in the lower part
- Stool

## SALOON

- U-shaped sofa
- High wooden table
- Storage under floor (4)
- Lockers under bench seat (2)
- Bookshelf accessible forward, behind the seat



## PORT HULL

### Aft cabin

- Double bed with side access (1.70 x 2.00 m / 5'7" x 6'6")
- 2 bedside tables with shelves
- Storage drawers under bed (4)
- Desk with 2 drawers and bookshelf above
- Interior topsides:
  - 1 high-level unit with wardrobe in lower part, shelves above
  - 1 full-height unit with shelves
- Exterior topsides:
  - Door with storage shelves (6)
- 1 opening flush deck hatch T44
- 1 fixed hull window in PMMA, one with integrated opening hatch



### Aft head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High storage unit with shelf behind the mirror and shelf with fiddle rail
- Low storage unit with shelf behind double door
- Separate shower with plexiglass door
- Corian® shower caillebotis
- Shampoo storage integrated in the composite shower block
- Manual WC fresh water
- 1 opening flush deck hatch T10
- Fixed hull window
- Towel hooks on head door (2)

### Central passageway

- Exterior topsides:
  - Fridge & freezer: 230V 311L / 82 US gal (56 US gal + 26 US gal)
  - High and low-level unit with shelves
- Interior topsides:
  - Double door with shelves and wardrobe
- 1 opening flush deck hatch T10

### Forward cabin

- Double bed with side access (1.60 x 2.00 m / 5'3" x 6'6")
- 2 bedside tables
- Storage drawers under bed (2)
- Interior topsides:
  - 1 full-height unit with shelves in lower part, wardrobe above
- Exterior topsides:
  - 1 full-height unit with wardrobe
  - Door with storage shelves (3)
- 1 opening flush deck hatch T44

### Forward head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High storage unit with shelf behind the mirror
- Low storage unit with shelf behind double door
- Separate shower with plexiglass door
- Corian® shower caillebotis
- Shampoo storages integrated in the composite shower block (2)
- Manual WC fresh water

- High storage unit with shelves above WC
- 1 opening flush deck hatch T44
- Towel hooks on head door (2)

## STARBOARD HULL

### Aft cabin

- Double bed with side access (1.60 x 2.00 m / 5'3" x 6'6")
- 2 bedside tables
- Storage drawers under bed (2)
- Interior topsides:
  - 1 full-height unit with wardrobe
  - Door with storage shelves (3)
- Direct access from the deck via a private door
- 1 opening flush deck hatch T44

### Aft head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High-level unit: 1 shelf with mirror door
- Low-level unit: 1 shelf with double door
- Modular plexiglass walls for wet/dry separation
- Corian® shower caillebotis
- Shampoo storage integrated in the composite shower block
- Manual WC fresh water
- Towel hooks on head door (2)

### Central cabin

- Two single beds that can be converted into a double (0.80 x 2.00 m / 2'7" x 6'6")
- Storage under each bunk
- Interior topsides:
  - 1 full-height unit with wardrobe
- Exterior topsides:
  - Door with storage shelves
- 1 opening flush deck hatch T10

### Central head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- Sliding washbin unit for modularity of the head:
  - Head position
  - Shower head (shower separated by plexiglass wall)
- High-level unit: 1 shelf with mirror door

- Composite floor
- Manual WC fresh water
- 1 opening flush deck hatch T10

#### Forward cabin

- Double bed with side access (1.60 x 2.00 m / 5'3" x 6'6")
- 2 bedside tables
- Storage drawers under bed (2)
- Exterior topsides:
  - 1 full-height unit with wardrobe
  - Door with storage shelves (3)
- 1 opening flush deck hatch T44

#### Forward head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High storage unit with shelf behind the mirror
- Low storage unit with shelf behind double door
- Separate shower with plexiglass door
- Corian® shower caillebotis
- Shampoo storages integrated in the composite shower block (2)
- Manual WC fresh water
- High storage unit with shelves above WC
- 1 opening flush deck hatch T44
- Towel hooks on head door (2)

## 6 cabin 6 heads version



### GALLEY (to starboard)

- Access through glazed sliding door with aluminum latch, lockable in open or shut position
- L-shaped galley area with:
  - Corian® countertop
  - Double sink
  - Hot/cold mixer tap
  - Waste bin integrated under the countertop 50L / 13 US gal
  - 4-burner gas stove
  - Gas oven
  - Storage:
    - Low storages units shelf behind simple door
    - Storage under sink
    - 3-drawer unit including cutlery drawer
    - Storages on plat-bord
  - Open and closed high-level storage units

### GALLEY (port)

- Specific 6-cabin version furniture with large refrigerator 311L 230V

### CHART TABLE (port)

- Wood chart table incorporating standard electrical equipment
- High-and low-level storage units

## SALOON

- L-shaped sofa
- Wide bench seat to port
- High table in Alpi
- Storage under floor



## PORT HULL

### Aft cabin

- Double bed with side access (1.60 x 2.00 m / 5'3" x 6'6")
- 2 bedside tables
- Storage drawers under bed (2)
- Interior topsides:
  - 1 full-height unit with wardrobe
  - Door with storage shelves (3)
- Direct access from the deck via a private door
- 1 opening flush deck hatch T44

### Aft head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High-level unit: 1 shelf with mirror door
- Low-level unit: 1 shelf with double door
- Modular plexiglass walls for wet/dry separation
- Composite floor
- Shampoo storage integrated in the composite shower block

- Manual WC fresh water
- Towel hooks on head door (2)

#### Central cabin

- Two single beds that can be converted into a double (0.80 x 2.00 m / 2'7" x 6'6")
- Storage under each bunk
- Interior topsides:
  - 1 full-height unit with wardrobe
- Exterior topsides:
  - Door with storage shelves
- 1 opening flush deck hatch T10

#### Central head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- Sliding washbin unit for modularity of the head:
  - Head position
  - Shower head (shower separated by plexiglass wall)
- High-level unit: 1 shelf with mirror door
- Composite floor
- Manual WC fresh water
- 1 opening flush deck hatch T10

#### Forward cabin

- Double bed with side access (1.60 x 2.00 m / 5'3" x 6'6")
- 2 bedside tables
- Storage drawers under bed (2)
- Exterior topsides:
  - 1 full-height unit with wardrobe
  - Door with storage shelves (3)
- 1 opening flush deck hatch T44

#### Forward head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High storage unit with shelf behind the mirror
- Low storage unit with shelf behind double door
- Separate shower with plexiglass door
- Corian® shower caillebotis
- Shampoo storages integrated in the composite shower block (2)
- Manual WC fresh water

- High storage unit with shelves above WC
- 1 opening flush deck hatch T44
- Towel hooks on head door (2)

## STARBOARD HULL

### Aft cabin

- Double bed with side access (1.60 x 2.00 m / 5'3" x 6'6")
- 2 bedside tables
- Storage drawers under bed (2)
- Interior topsides:
  - 1 full-height unit with wardrobe
  - Door with storage shelves (3)
- Direct access from the deck via a private door
- 1 opening flush deck hatch T44

### Aft head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High-level unit: 1 shelf with mirror door
- Low-level unit: 1 shelf with double door
- Modular plexiglass walls for wet/dry separation
- Composite floor
- Shampoo storage integrated in the composite shower block
- Manual WC fresh water
- Towel hooks on head door (2)

### Central cabin

- Two single beds that can be converted into a double (0.80 x 2.00 m / 2'7" x 6'6")
- Storage under each bunk
- Interior topsides:
  - 1 full-height unit with wardrobe
- Exterior topsides:
  - Door with storage shelves
- 1 opening flush deck hatch T10

### Central head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- Sliding washbin unit for modularity of the head:
  - Head position
  - Shower head (shower separated by plexiglass wall)
- High-level unit: 1 shelf with mirror door

- Composite floor
- Manual WC fresh water
- 1 opening flush deck hatch T10

#### Forward cabin

- Double bed with side access (1.60 x 2.00 m / 5'3" x 6'6")
- 2 bedside tables
- Storage drawers under bed (2)
- Exterior topsides:
  - 1 full-height unit with wardrobe
  - Door with storage shelves (3)
- 1 opening flush deck hatch T44

#### Forward head

- Corian® countertop
- Composite washbasin with hot/cold mixer tap
- High storage unit with shelf behind the mirror
- Low storage unit with shelf behind double door
- Separate shower with plexiglass door
- Corian® shower caillebotis
- Shampoo storages integrated in the composite shower block (2)
- Manual WC fresh water
- High storage unit with shelves above WC
- 1 opening flush deck hatch T44
- Towel hooks on head door (2)





LAGOON

162, quai de Brazza  
CS 81217  
33072 Bordeaux Cedex - France  
Tél. 33 + (0) 557 80 92 80  
E-mail : [info@cata-lagoon.com](mailto:info@cata-lagoon.com)  
[www.cata-lagoon.com](http://www.cata-lagoon.com)