

YEAR

LENGTH

2022

18.25 m





YEAR

I FNGTH

WITHOUT OPTIONS | VAT NOT PAID

Azimut 60

2022

18.25 m

1 650 000 €

New generation exterior design with vertical bow and notched bulwark Impressive look and additional space in lowerdeck and bow cabine. Full height windows in salon for convertible dinette/lounge zone. New 6 sqm (on 60-feet yacht) fore deck lounge convertible solution with bow bimini top with carbon fiber bimini poles. Extended flybridge becomes even more longer in new generation Azimut flybridge yachts. Flybridge supports have additional feature of privacy curtain with electric system and remote control.

Interior and exterior design furniture by Achille Salvagni Salvagni uses extremely rich materials to conjure up the idea of the voyage, practical and sophisticated, with a close eye for detail and... More info

Length overall	18.25 m	
Beam overall	5.00 m	
Draft	1.38 m	
Material	GRP	
Cabines	3 + 1	
Head compartments	3 + 1	
Engine	2 x VOLVO D13 900 MHP	
Fuel capacity	2800 I	
Water capacity	650 I	
Max speed	30.00 knots	
Cruising speed	26.00 knots	
Range	280 nm	
Location	Italy	



Azimut 60 Fly



Azimut 60 Fly



Azimut 60 Fly







Azimut 60 Fly





Bow lounge area








Cockpit







Cockpit







Flybridge







Flybridge




Flybridge




























Galley on maindeck






Owner's cabin

Owner's cabin



Owner's cabin





Owner's cabin

Bathroom in owner's cabin








Guest cabin









The EPS servo on wheelhouse









YEAR

LENGTH

without options | vat not paid
1 650 000 €

Azimut 60 2022

18.25 m

SPECIFICATIONS

Length overall	18.25 m	Beam overall	5.00 m
Draft	1.38 m	Material	GRP
Passenger capacity	14	Berths	6 + 2
Cabines	3 + 1	Head compartments	3 + 1
Engine	2 x VOLVO D13 900 MHP	Fuel capacity	2800 l
Water capacity	650 l	Holding tank capacity	376 l
Grey water capacity	103 l	Max speed	30.00 knots
Cruising speed	26.00 knots	Range	280 nm
Displacement	28.80 t	Dry displacement	23.50 t
Interior designer	Achile Salvagni	Exterior styling & concept	Stefano Righini
Keel	Deadrise at the stern 15.5°		



YEAR LENGTH

18.25 m

WITHOUT OPTIONS | VAT NOT PAID

1 650 000 €

STANDART SPECIFICATION

Flybridge

- · Access via flybridge ladder in GRP, with teak steps
- Aluminum hatchway (hinged opening in plex)
- · Helm seat with pedestal and hight and horizontal adjustment
- Sunbed area, bow starboard side
- Stainless steel handrails
- The wheelhouse equipment includes:
- Engine display
- · Rudder
- · Engine levers
- VHF

Bow / walk arounds

- · Anchor chain housing
- 2000 W, 24 V winch with 10 mm gipsy
- 2 bow cleats
- PVC rub-rail with knurled stainless steel section
- Anchor locker
- Seating area with cushions
- Navigation lights
- 2 refueling plugs with protection cover

- Anti-slip treatment on flybridge flooring
- Front flybridge screen in smokey Plexiglas and stainless steel
- "C"-shaped sofa for 6 people on port side, with teak table
- GRP roll bar with blind windows on the external sides
- Stainless steel steering wheel painted white, and height-adjustable steering system
- - Raymarine Bronze Package
- · Thruster control
- · Chain meter counter
- · Panel with main control switches
- "L" shaped cabinet, starboard side, with barbecue and fridge
- 32 kg anchor with 75 meters of chain, diam. 10 mm, on forward bow roller
- Pulpit
- 2 electric windscreen wiper and washer
- · GRP walk arounds with non-slip treatment
- Flat windows in toughened glass in the GRP (mirror finish)
- 2 midship cleats
- Side wording

LENGTH

18.25 m

WITHOUT OPTIONS | VAT NOT PAID

1 650 000 €

- 1 fresh water filling on starboard side (anchor locker area)
- Side hatches

Cockpit and platform

- · Integrated stainless steel aft chocks
- Saloon access door in black-painted stainless steel and tempered glass, with three panels
- Shore power socket(s)
- Cockpit in teak
- Cockpit bench lockers
- Locker with access from hatch on platform.

Wheelhouse

- · Adjustable helm seat for 1 person
- Electrically openable wheelhouse window
- · Raymarine Bronze Package
- · Engine display
- · Thruster control
- · Engine levers
- · VHF
- Saloon / Dinette / GalleySaloon

- 1 black water outlet on port side
- Bow lockers

YFAR

- 2 stern cleats
- Crew cabin access door (OPT) from the transom
- Swimming ladder in stainless steel and teak that can be opened under the hatch
- Shower
- Teak platform
- · Cockpit lights with dimmer
- Platform / tenderlift, maximum net capacity of tenderlift 390 kg with asymmetrical load (gross capacity 850 kg) Recommended tender: Pirelli J33
- · Height-adjustable steering system
- The wheelhouse equipment includes:
- Compass
- Engine starting buttons
- Rudder
- · Panel with main control switches

YEAR LENGTH

18.25 m

WITHOUT OPTIONS | VAT NOT PAID

1 650 000 €

- Sofa for 6 people on the port side
- LED lighting
- · Saloon door curtain in fabric
- Radio CD with remote control and two loudspeakers

Dinette

- Dining zone with 2 opposed sofas
- · LED lighting

Galley

- · Ceramic glass 4-hob range, 50/60 Hz
- Avonite worktop
- 185-liter refrigerator, 44-liter freezer

Owner's cabin

- Located midship
- · Mattress, pillows and bedspread
- Carpet
- Doors and frames in wood essence
- · Reading lights on headboard
- · Large hull windows with built-in portlight

Owner's head

- Carpet
- 2-seater sofa on starboard side
- Roman-type curtains in fabric
- Provision for TV system
- Carpet
- Table with fixed top (from 426)
- Microwave oven + grill (20-liter capacity)
- Hood above the range
- Wooden flooring
- Double bed with locker accessed from above
- Chest of drawers
- Wooden Venetian blinds
- · Direct access to owner's head
- · Suitable for TV installation

YEAR LENGTH

18.25 m

WITHOUT OPTIONS | VAT NOT PAID

1 650 000 €

- Access from owner's cabin
- Shower column with soap dish and mixer taps
- Synthetic teak floor
- TECMA toilet
- Head accessories
- Round portlight

Guest cabin

- · Located on starboard side
- Central bedside table
- Carpet
- Fix window with openable round portlight
- Doors and frames in wood essence

Guest / daily head

- · Access from corridor
- Shower column and mixer taps
- Round portlight
- TECMA toilet
- Head accessories
- VIP cabin

- Separate shower
- Washbasin with top
- Air extractor
- Wooden Venetian blinds
- Wall unit above washbasin with mirror
- · Large storage area behind toilet
- Fixed single beds
- Wardrobe on bulwark
- Wooden Venetian blinds
- Reading light
- Mirror inside the wardrobe
- Shower with panel
- Washbasin with top
- Synthetic teak floor
- Roller-type curtains
- · Wall unit above washbasin with mirror

LENGTH

WITHOUT OPTIONS | VAT NOT PAID

18.25 m

1 650 000 €

- Located at the bow, it is accessed via the central corridor
- · Mattress, pillows and bedspread
- One wardrobe per side
- Panoramic windows with openable portlights
- Hatchway
- · Doors and frames in wood essence

VIP head

- · Access from VIP cabin
- Shower column and mixer taps
- Round portlight
- TECMA toilet
- Head accessories

Corridor

- Fabric wall upholstery
- LED lighting

Crew room (OPT)Crew cabin

- · Access from transom, via manually moved door
- Mattresses, pillows and bedspreads
- Wooden Venetian blinds

- Openable double bed
- Wall units

YFAR

- Suitable for TV installation
- Wooden Venetian blinds
- Reading lights
- · Direct access to head
- · Shower with panel
- Washbasin with top
- Synthetic teak floor
- Roller-type curtains
- Wall unit above washbasin with mirror
- Carpeted floor
- 1 single bed (version with two beds instead of aft storage is available)
- Cabinet with electric panel

YEAR

LENGTH

WITHOUT OPTIONS | VAT NOT PAID

Azimut 60

2022

18.25 m

1 650 000 €

- LED spotlights
- Crew head
- Sink
- Head accessories
- Shower

Electric systemVoltage levels on board:

- 220V AC systems, 50 Hz
- 24V DC engine systems power supply
- 12V DC from voltage reducer

Galvanic current insulation

zinc anodes

Generator

7 KW 50Hz GENERATOR

Shore power sockets

1 shore power socket 220V 50A

Batteries

- 6 batteries 90Ah for service utilities 24V 270Ah
- 1 battery 70Ah for generator 12V
- **Battery charging**

- Laminated furniture
- TECMA toilet
- Mixer tap with pull-out shower head
- Shower curtain
- Mirror
- 24V DC systems power supply
- 24V DC from battery sets
- specific power supply for the VHF

- 6 batteries 90Ah for engine start-up 24V 270Ah
- All the sets are controlled via battery cut-out switches

The company is not liable for validity of the information provided by the yacht-owner (images, specification of the yacht, list of equipment installed, its operability, engine hours, legal aspects). Actual engine hours are indicated at the moment of initial information placement and gets further periodically updated. Detailed information and characteristics will be provided on buyer's request and indicated in the contract.

2022

18.25 m

1 650 000 €

• 1 electronic battery charger 24V 80A for start-up and service sets

Electric panels

- Two main DC boards, one in the engine room and the other in the saloon.
- Emergency panel in cockpit (with boat cut-off controls).

Lighting

· LED spotlights

Electronic instruments

Bilge system

- 3 automatic motor pumps 24V (flow rate: 224 l/min) with possibility of manual control.
 Each pump has a double high-level switch connected to an optical/acoustic alarm in the wheelhouse located in crew cabin, engine room, owner's cabin.
- · 1 located in the crew cabin

Fire extinguishing system

- Controlled from emergency panel in cockpit
- Closure of fuel delivery solenoid valves
- Extinguisher discharge

Fuel system

2 aluminum tanks, 1400 l each

- 1 electronic battery charger 12V 10A for generator
- Two AC boards, one in the saloon and the other in the crew cabin.
- · Power circuit breakers with fuses for protecting the utilities.

- 2 manual pumps (flow rate: 49 l/min) which suck from three watertight compartments, through a flow diverter
- 1 located in the cockpit, it sucks from crew cabin and engine room
- Emergency system for engine room bilge drainage via derivation from engine cooling pump (flow rate: 334 l/min)
- Engine battery cut-out
- Extractor stop
- 2 powder extinguishers, 12kg, with diffuser nozzles above the engines and marine gears

YEAR LENGTH

18.25 m

WITHOUT OPTIONS | VAT NOT PAID

1 650 000 €

- Refueling plugs with cover
- Tanks linked by a 1" coupling, and manual check valves
- Float switch on port tank
- Water/diesel separator filters for engines (single type)

Fresh water system

- 1 750-liter polypropylene tank
- Pressure pump
- System that can be isolated by ACORN manifolds
- Cold water line in engine room, on flybridge, and on stern platform

Black water system

- TECMA toilet
- Black water outlets
- Discharge into tank
- Tank drainage also via suction point on deck walk around

Gray water system

- 1 175-liter polyethylene tank
- · Galley discharge into tank

Engine gas exhaust system

• 2 engine underwater exhausts with GRP structural ducts

- 2 refueling plugs on walk arounds, and 2 vents on bulwark
- Optical level gage on starboard tank
- Fuel delivery shut-off via 1" 24V solenoid valves with remote control, or local manual valves
- Diesel filter for generator (single type)
- 1 water refill plug on deck walk around, starboard side, and 1 vent on port side bulwark
- 1 60-liter water heater with 220V (or 110V) electric heating, located in the crew cabin
- Hot and cold water line in the galley and all the heads, via single control mixer taps
- · Toilet flushing system with fresh water
- Macerator pump
- 1 175-liter polyethylene tank
- Head discharge into tank
- 24 V loading pump, of the membrane type with control in the wheelhouse



LENGTH

18.25 m

WITHOUT OPTIONS | VAT NOT PAID

1 650 000 €

Minimum bypass on bulwark

Seawater system

• 2 engine seawater intakes of 3", with shut-off valve and metal mesh filter

Stainless steel manifolds (insulated)

 2 seawater intakes, 1". for auxiliary services (generator and A/C), with shut-off valve and metal mesh filter

Ventilation/extraction

2 air intakes with separator filters

2 24V extractors

YFAR

Engine room

· Access from cockpit

Sound-proofing

Engines assembled on a silent block

Other systems

• 1 electric steering system

Air conditioning system (OPT)

CONDARIA type- 220V-50Hz

- 1 72,000 BTU compressor (with inverter)

• 2 24V automatic trim controllers (intruder)

• World version 72,000 BTU (+ 6200 BTU for crew cabin, OPT):

Equipment

• 1 telescopic boat hook

· 24 m fender lines

8 fenders

• 1 Owner's Manual

- 5 anchor lines
- 1 anchor chain stopper
- 8 black fender covers

LENGTH

18.25 m 1 65

1 650 000 €

WITHOUT OPTIONS | VAT NOT PAID

- 1 AZIMUT document holder
- 1 AZIMUT warranty service booklet
- 1 set of china plates
- 1 set of stainless steel cooking pans
- 1 clock with glossy brass case
- 4 floating key-rings
- 1 remote control holder(with logo)
- 1 routine maintenance kit for steel

- 1 wooden model of the boat
- 1 stainless steel cutlery service
- 1 set of glasses

YEAR

- 4 sets of towels (with logo)
- 1 barometer with glossy brass case
- 1 bag (with logo) for storing the manuals
- 1 bag for holding the shower tube



Azimut Yachts Montenegro

Montenegro, Tivat, Porto Montenegro, Tara Building, office T4

+382.69.237.700

 $\underline{www.azimutyachts.me}$

We provide full legal support of transactions, assistance in preliminary technical survey, shipping to the required region, insurance, crew selection and hiring and vessel registration in all main registers.

Motor yacht Azimut 60: viewing, inspection, sea trial and transaction are carried out under MYBA terms.