
Motor Yacht 4 S



General specifications

Length overall	m / 16.8ft 8 m / 2.6ft m / 12.4ft
Standard power2 x 150 hp /	2 x 110kW
Tanks capacities Water tank	US gallons
Boat EC certified: category B: category C: Category D:	~ 8 people ~12 people ~20 people
Architect Daniel ANDRIEU Interior designPierangelo ANDREANI Builder	

INTERIOR LAYOUT

General

- Motor Yacht Alpi woodwork
- Motor Yacht laminated floor on Interlior floor
- Motor Yacht rot proof glass felt lining
- Motor Yacht cloth for bench cushions
- Polyether foam mattresses
- Permanent natural ventilation via hatches & portlights

SALOON LAYOUT

Saloon

- Saloon accessible via a glass sliding door
- Panoramic view through peripheral picture window
- Large fixed sunroof
- Curtain on cockpit entrance door
- Ventilation by portholes
- LED light spots

Galley area

- Galley with work-top
- Bin on work-top
- Double stainless steel sinks
- Hot and cold pressurized water, mixer tap
- Cooking hob with 2 large gas plates
- Built-in under counter fridge-freezer
- Approx. 97 L for fridge & 16 L for freeze
- Cupboard + shelves + drawers
- Ventilation via porthole above cooking hob

Lounge area

- Bench seating for 5 + 2 people
- Wooden coffee table
- Standard upholstery according to "Millésime"

Helm station

- Bench seat for 2
- Large navigation instrument panel
- Windscreen wipers & washers

HULL LAYOUT: 4 cabins 2 bathrooms

MAIN LIGHTING BY LED SPOTLIGHTS

Port and starboard hull

Aft cabins

- Access through wooden door from the passageway
- Double bed 1,60 x 2,00 approx.
- Hanging wardrobe
- Storage under bed
- Large picture window
- Ventilation via portholes
- Bedside reading lights
- Blind on picture window

Bathroom area (shared to 2 cabins)

- Common access via the passageway through wooden door
- Worktop with integrated sink and mirror
- Shower with hot and cold water mixer
- Manual marine toilet
- Bathroom accessories (toilet paper holder + towel)
- Ventilation via porthole

Passageway

Cupboard

Forward cabins

- Access through wooden door from the passageway
- Double bed (1,40/1,00 x 2,00m)
- Hanging wardrobe
- Storage under the bed
- Large picture window
- Ventilation via porthole and deck hatch
- Bedside reading lights
- Blinds on deck hatch & picture window

HULL LAYOUT: 3 cabins 2 bathrooms

MAIN LIGHTING BY LED SPOTLIGHTS

Port hull: Owner's suite

Sleeping area

- Double bed 1.60 x 2.00 approx.
- 2 bedside reading lights
- Storage under bed
- Large picture window
- Ventilation via hull portholes
- Blind on window
- Wardrobe & sofa in the passageway

Laundry area and storage

- Access through wooden door from passageway
- Storage cupboard with shelving and hanging space
- Lining

Bathroom space

- Worktop with sink
- Mirror & shell recess
- Hot and cold water mixer tap
- Separate shower with acrylic screen
- Electric pump for greywater
- shower mixer tap
- Manual marine toilet
- Cupboard
- Hooks
- Ventilation by deck hatch

Starboard hull

Aft cabin

- Access through wooden door from the passageway
- Double bed 1,60 x 2,00 approx.
- Hanging
- Storage under bed
- Large picture window
- Ventilation via portholes
- Blind on picture window
- 2 bedside reading lights

Bathroom area (common to 2 cabins)

- Common access via the passageway through wooden door
- Worktop with integrated sink and mirror
- Shower with hot and cold water mixer
- Manual marine toilet
- Bathroom accessories (toilet paper holder + towel)
- Ventilation via porthole

Passageway

• Cupboard

Forward cabin

- Access through wooden door from the passageway
- 2 bedside reading lights
- Double bed (1,40/1,00 x 2, 00 m)
- Hanging wardrobe
- Storage under the bed
- Large picture widow
- Ventilation via porthole & deck hatch
- Blinds on deck hatch & picture window

DECK LAYOUT

Cockpit

- Large bench for 5 with backrest and storage compartments
- Bench convertible in a large sun bed
- Gas locker
- Large storage compartment under floor
- Access to aft skirts
- Lighting by watertight spotlights

Aft skirts:

- Runs on side platforms bath and boarding
- Platform between the skirts
- 1 ladder
- 1 cold water shower
- Safe Gas

Engine rooms

- Access via polyester deck hatch on the cylinder in the cockpit
- High performance sound insulation
- 1 neon light

Fore deck

- Side nav lights
- Large locker (storage & chain locker)
- Windlass & mooring
- Lounge deck area

Sport top

- Large sky light fixed window
- Mooring & Nav light on mast

Engines

Engines and equipment:

- 2 Yanmar 150hp diesel engines
- Direct shaft Lines
- 2 four blade propellers
- Engine cooling by sea water exchanger
- Engine compartment ventilation by airflow + mechanical air extraction
- Switchboards and electrical controls at helm station

Fuel system:

- Independent 2x 600L diesel tanks approx. independent circuit's port and starboard
- Electric fuel gauges
- 1 pre-filter fuel water separator + 1 anti-bacteria filter per engine
- Closing valves

Plumbing

- Freshwater tank (350 L approx.) with electric gauge
- Fresh water self-priming pump with electronic pressure sensor
- 401 water heater
- Electrical automatic bilge pump in each engine hold
- Electrical automatic bilge pump in each hull
- Hand-operated external bilge pump
- Visual and audible bilge pumps alarm in the saloon
- One 130 L centralized holding tank

Electrical / Electronics

12V power circuit

- Set of batteries for onboard energy supply (345 A/h 12 V) on port side
- Two set of engine start batteries (50 A/h 12V)
- Manual emergency connection between port & starboard engine batteries
- Charge of each batteries sets by dedicated alternator (3 alternators)

12V Distribution

• Multiplexed distribution of 12V functions with control panel at saloon entrance

• 3.5'' touch screen for monitoring (batteries, tanks, functions, ...) & control at helm station interfaced with Garmin screen (option)

• Available output for optional equipment

Fittings

- Hydraulic helm system with trimmed steering wheel
- 2 rudders linked via hydraulic circuit
- Complete peripheral pulpit with rigid stainless steel lifeline
- One swim ladder on starboard transom
- 7 stainless steel mooring cleats (2 forward + 2 midships + 2 aft) + 1 central cleat
- 12V / 1000W electrical windlass circuit breaker protected
- Anchor davit
- 4 fenders
- Two 15m long mooring lines

All dimensions provide by way of information only.