



CATALOGUE

**On the crest of the wave since 39 years:
from 1978 to 2017
a continuous growing path,
working with commitment
and unchanged passion.**

*We are pleased to celebrate with you the 39th year of activity
in the marine industry with the edition of the new catalogue,
completely updated and available also in our website www.gfn.it.*

*These pages offer you over 15,000 items, a real handbook.
Each product has been carefully selected from the world market
and has been rigorously tested in the laboratory
and in the field of practical use.*

*To find the optimal reply to your requests,
you have the possibility to navigate in a sea of high-reliability products,
from the simplest to the most advanced technology, such as electronic instruments,
where GFN is the partner of the best worldwide manufacturing companies.*

*For many of you it will be nice meeting again,
building a relationship of trust and cooperation for which we thank you.
For others it may be an opportunity: the chance to anchor in a safe harbour,
finding a reliable partner, ready to suggest and support any of your requirement.
In both cases, we wish that this catalog will become an indispensable work companion,
relying on a family company, founded in 1940, producing bicycles
for then expanding in the nautical sector with a brochure of just 2 pages,
which after 77 years, continues with the same passion
following three key-values: innovation, service
and willingness towards the customer.*

*Special thanks to Elena and Adriano,
who with the precious help of Gaia, Melanie and Arcangelo,
contributed to the creation of this catalogue.*



One life at the service of the nautical industry

From the bicycles productions activity started by his father to the adventures with the aircrafts, until the world of boats, soon turned into a lifelong passion.



Aurelio Guido Gibellato

Thirty-nine years of history that has its roots further back in time.

"My grandfather was a carpenter, my father was an excellent mechanic, specialized in the production of bicycles and components. I grew up in the 50's in this environment that stimulated "to do" and "to reinvent", I discovered the world of sailing. And I never left it. "

The face of Silvano Gibellato is crossed by a smile while he talks about his story. And his story, the story of his family and that of his business are all together. Almost epic, the story of one of many successes that the Northeast has managed to build.

"When I was five or six years old - he says - I was able to mount the bicycle's wheels. We did it in the evening in the kitchen, it was our hobby with the whole family, our television. Dad had started the business of building bicycles, which has grown over the years. His coat of arms, which was stuck on each bike he produced, was an eagle with the words "Guido Aurelio Gibellato. " In the mid-fifties my father Aurelio opened a new business sales and repairs of motorcycles and mopeds: was the period of Motom, the Ducati Cucciolo, the Mosquito, and of course the Vespa.

Then, in March 1960, he added the Esso filling station.

"But I have to say - says Silvano Gibellato - that there in Caltana Street we were selling almost a bit of everything. We were the first ones to propose all the news. Refrigerators, washing machines, televisions, the first radio: by Gibellato there was everything. " Even the first color TV, sold when RAI broadcasted in black and white and to enjoy the novelty had to tune on Koper.



First trademark of Gibellato Family

Aeronautical ...experiences did not miss: "In 1967, with some friends, we even built a small airplane with the engine of a Volkswagen. We succeeded to make it fly, but then I left the aircraft industry, preferring ... the nautical field. "

A passion born after a meeting "a friend of my family, sales agent, suggested to start a shop selling boats." I must confess that it was a world that fascinated me, but I did not know so much.

I still remember that day in February, a week later my friend came with some brochures and at Easter, I opened my new business". Shortly after the opening of the store, Silvano together with his young wife Maria bought a small local company that produced anchors, engine brackets and some nautical accessories. It was at that moment that the new company really moved the first steps.

"In 1978 - Silvano Gibellato remembers - we exhibited for the first time at the Genoa Boat Show, then it was a continuous growth." The 80's were those of the great international Boat Shows: from Chicago, where we have been exhibiting in 1982 for the first time, to Amsterdam, Barcelona, St. Petersburg, Moscow and so on.



G.F.N. trademark evolution

In Chicago the company introduced its first patented product: a ladder for inflatable boats that turned into a handy seat. It was the first of a series of inventions and innovations, all crowned by a large consensus from the customers side. Among other new products launched on the market, also the first roll bar for boats and inflatable boats.

In 1990, the company Gibellato Silvano turned into G.F.N. srl (Gibellato Marine Equipment) and with this opportunity also the two daughters Monica and Michela began to cooperate. The youngest, Gioy, arrived later in the family business. The headquarters changed the address from Caltana Street to Frattina Street, always in Campodarsego (Padova).

Many goals have been reached by the company, among them, the success of the range Gibsy inflatable boats, which has been selected by one of the leading manufacturers of engines in the world to offer them as package with its outboard to dealers.



G.F.N. trademark

Carrying out its business in international continuously expanding fields, G.F.N. is a company with a solid core, essentially a family. Not only because the "second generation" works in the company, but also because the entire staff is involved in the same philosophy of customer care, with the prompt attention to the customer's requirements.

"I have to say thank you to my daughters and to the whole staff, without them, G.F.N. would be different - remarks Gibellato - and thank you to the extended network of agents, customers and historic suppliers. "



Current G.F.N. trademark

Gibellato looks at the future with optimism: "I think that tomorrow - he explains - has to take into account all that we have built over the years and especially the core values that dictate the rhythm of daily life and have always guided all of us: constant innovation, to offer the customers new products and continuous improvement, flexibility, availability with a personalized and attentive service. According to Mr Gibellato, no customer becomes a number, but each one has a face, a story, and requests to be carefully monitored.

But above all, I am sure that this company will be always "familiar" and that my daughters Monica, Michela and Gioy will be able to continue along the way that we have drawn together. "

GIBELLATO
FORNITURE
NAUTICHE



Monica, Silvano, Gioy e Michela





**INFLATABLE BOATS
ENGINES**



**ANCHORING
MOORING**



**BOATING
EQUIPMENT**



HARDWARE



**UPHOLSTERY
ROPES**



**ENGINE CONTROLS
STEERING SYSTEMS**



**ENGINE
SPARE PARTS**



**HOUSEHOLD APPL.
PUMPS PLUMBING
SANITARY FITTINGS**



**ELECTRICITY
SIGNALLING**



**ELECTRONICS
INSTRUMENTS**



**INDOOR ACCESSORIES
GIFT ITEMS**



**SAFETY
WATER SPORTS**



**LUBRICANTS
DETERGENTS - GLUES
VARNISHES**



| AUTOSTRADE TOLL MOTORWAY | |
|-----------------------------|-------------------|
| A4 | TRIESTE |
| A23 | UDINE TARVISIO |
| A28 | PORDENONE |
| A27 | TREVISO-BELLUNO |




G.F.N.
 Via Frattina, 3 - 35011 CAMPODARSEGO (Padova) - ITALY
 Tel. (+39) 049 9200196 - Fax (+39) 049 5564050
 E-mail: info@gfn.it www.gfn.it

INFLATABLE BOATS ENGINES

1

| | |
|---|-----------|
| Inflatable Boats | 8 |
| Accessories and spare parts for inflatable boats | 19 |
| Electric engines | 46 |





GIBSY INFLATABLE BOATS INTRODUCTION

G.F.N. is proud to introduce a new line of GIBSY inflatable boats carefully designed in every detail to ensure the best performances for a great fun.

THE RANGE INCLUDES 37 MODELS divided into 8 series: from 1,60 to 4,20 mt.

with a particular and distinctive design, fit to meet any need: explore a new coast, make a trip to the lake or in need of a tender to reach the coast.




The process of manufacture of these boats has been studied to produce high quality inflatable boats, that's why we offer 2-YEAR WARRANTY ON SEAMS AND 5-YEAR WARRANTY ON FABRIC




GIBSY inflatable boats are made of polyester fabric 0,9 mm thickness*(1100 deniers) of excellent quality that ensures dimensional stability and excellent tensile strength and tear.

The fabric is also coated on both sides by PVC that offers maximum resistance to abrasion, weather conditions and chemical agents.

* excluding GIBSY D and KING LIGHT models made of polyester 0,7 mm fabric (1000 deniers). GIBSY range offers many models suitable for all uses and for all user's needs.



ROLL-UP FLOOR "D" and "F" series



"Slatted floor that allows the stowage without extracting the floor from the boat, for those who need practicality and lightweight without giving elegance up.

ALUMINIUM FLOOR "A" series



The aluminium floor is easy to maintain with its exceptional resistance to all types of impact. Extremely strong with aluminium rack and air mat keel, it is the favorite type for divers and fans of high-performance boats. Easy to fit and to disassemble.

INFLATABLE BOATS - ENGINES

AIR MAT FLOOR "KING LIGHT" and "M" series



This kind of floor is made of thousands of polyester crossed yarns. Inflated at high pressure, it becomes resistant and rigid like a traditional wooden floor, but it offers more lightweight and comfort. Its dimension allows an easy transport and a comfortable stowage.

AIR MAT V-SHAPED FLOOR "V" series



Air mat floor inflated at high pressure with a V-keel for a tougher hull, that allows you to stop immediately ensuring the best manoeuvrability. It is the best choice for those who consider lightweight and safety the most important things

FRP HULL "E" and "VENUS" series



Gibsy series "E" and "VENUS" inflatable boats combine the performances of the rigid hull with the safety of the pneumatic conception, becoming fast and steady during veer. The V-keel allows to stop immediately even with full load. This range is dedicated to those who want superior class for their boat.

GIBSY INFLATABLE BOAT "D" SERIES ROLL-UP

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS



NEW

CE



GIBSY "D" 180-200-230-249-280 INFLATABLE BOAT

Lightweight and cheap inflatable boats made of polyester fabric 0,7 mm thickness (1000 deniers), with slatted floor, suggested as tender and ideal for short trips. Recommended for who prefers practicality but does not want to give safety up, for this reason they are equipped with separate air chambers and transom with marine wood engine pad for a safer fixing of your outboard. Quick on inflating and compact for storage in your boat, car or camper without extracting the floor from the boat.

| Technical features | Gibsy 180 "D" | Gibsy 200 "D" | Gibsy 230 "D" | Gibsy 249 "D" | Gibsy 280 "D" |
|----------------------------------|---------------|---------------|---------------|---------------|---------------|
| Length | 1.80 m | 2.00 m | 2.30 m | 2.49 m | 2.80 m |
| Width | 1.31 m | 1.31 m | 1.31 m | 1.52 m | 1.52 m |
| Tubular's diameter | 36 cm | 34 cm | 36 cm | 42 cm | 42 cm |
| Buoyancy chambers | 2 | 3 | 3 | 3 | 3 |
| Weight | 22 Kg | 23 Kg | 31 Kg | 42 Kg | 51 Kg |
| Persons capacity | 1+1 | 2 | 2 | 3 | 4 |
| Suggested power max HP | 2 - 2,5 hp | 2,5 hp | 3,5 hp | 4 hp | 8 hp |
| Maximum power KW/HP | 1,9 - 2,5 | 2,6 - 3,5 | 3 - 4 | 4,5 - 6 | 7,5 - 10 |
| Stowed dimensions | 95x45x35 cm | 95x45x35 cm | 98x40x35 cm | 107x43x35 cm | 107x45x35 cm |
| Type-approval design category CE | D | D | D | D | D |

STANDARD EQUIPMENT

- Pair of telescopic paddles
- Seat
- Seat cushion "Gibsy Seat Bag"
- Pump
- Repairing kit
- Carrying bag
- Owner's manual

EXTRA EQUIPMENT

- Front bag "Gibsy Bag"
- Inflatable boat cover
- Seat cushion "Gibsy Seat Bag"
- Hauling wheels
- Electric pump

| Model | Length m | |
|---------------|-------------------------------|------|
| S00238 | Gibsy 180 "D" inflatable boat | 1.80 |
| S00240 | Gibsy 200 "D" inflatable boat | 2.00 |
| S00243 | Gibsy 230 "D" inflatable boat | 2.30 |
| S00245 | Gibsy 249 "D" inflatable boat | 2.49 |
| S00248 | Gibsy 280 "D" inflatable boat | 2.80 |

GIBSY INFLATABLE BOAT "F" SERIES ROLL-UP

5 ANNI SUL TESSUTO
5 YEARSON FABRICS



CE

GIBSY "F" 180-200-230-249

Inflatable boats, provided with slatted floor, perfect as tender and for short trips. Smart finishings, the best for those who prefer practicality but do not want to sacrifice safety on the sea, for this reason they have internal separate air chambers and plywood transom with engine pad and plate for a safer fixing of your outboard. Quick while inflating and compact for storage in your boat, car or camper without extracting the floor from the boat.

| Technical features | Gibsy 180 "F" | Gibsy 200 "F" | Gibsy 230 "F" | Gibsy 249 "F" |
|-------------------------------|---------------|---------------|---------------|---------------|
| Length | 1.85 m | 2.00 m | 2.30 m | 2.49 m |
| Width | 1.35 m | 1.37 m | 1.37 m | 1.52 m |
| Tubular's diameter | 36 cm | 36 cm | 36 cm | 42 cm |
| Buoyancy chambers | 2 | 3 | 3 | 3 |
| Weight | 22 Kg | 27,5 Kg | 29,5 Kg | 36,5 Kg |
| Persons capacity | 2 | 2 | 2 | 3 |
| Suggested power max HP | 2,5 hp | 3 hp | 3,5 hp | 5 hp |
| Maximum power KW/HP | 1,9 - 2,5 | 2,5 - 3,5 | 3 - 4 | 4,4 - 6 |
| Stowed dimensions | 95x57x31 cm | 101x62x32 cm | 101x62x32 cm | 110x65x33 cm |
| Type-approval design category | D | D | D | D |
| CE | | | | |

STANDARD EQUIPMENT

- Pair of oars
- Seat
- Pump
- Repairing kit
- Carrying bag
- Owner's manual

EXTRA EQUIPMENT

- Front bag "Gibsy Bag"
- Inflatable boat cover
- Seat cushion "Gibsy Seat Bag"
- Hauling wheels
- Electric pump

| | Model | Length m |
|---------------|-------------------------------|-------------|
| S00218 | Gibsy 180 "F" inflatable boat | 1.85 |
| S00220 | Gibsy 200 "F" inflatable boat | 2.00 |
| S00223 | Gibsy 230 "F" inflatable boat | 2.30 |
| S00225 | Gibsy 249 "F" inflatable boat | 2.49 |

GIBSY INFLATABLE BOAT "A" SERIES ALUMINIUM FLOOR

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS



GIBSY "A" 230-270-320 INFLATABLE BOAT

These inflatable boats are recommended for any nautic activity where room, hardness and lightweight are required, thanks to the aluminium floor, that offers a great resistance to any kind of shock and the possibility to transport more persons. Extremely strong with aluminium floor and air-mat keel, are quick on mounting and disassembling and easy to stow with the carrying bag included in the standard equipment.

| Technical features | Gibsy 230 "A" | Gibsy 270 "A" | Gibsy 320 "A" |
|----------------------------------|---------------|---------------|---------------|
| Length | 2.30 m | 2.70 m | 3.16 m |
| Width | 1.31 m | 1.52 m | 1.58 m |
| Tubular's diameter | 36 cm | 42 cm | 45 cm |
| Buoyancy chambers | 3+1 | 3+1 | 3+1 |
| Weight | 39,5 Kg | 47,5 Kg | 57,5 Kg |
| Persons capacity | 2 | 3+1 | 4+1 |
| Suggested power max HP | 3,5 hp | 8 hp | 10 hp |
| Maximum power KW/HP | 3 - 4 | 7,5 - 10 | 11,2 - 15 |
| Stowed dimensions | 101x62x32 cm | 110x63x35 cm | 110x62x39 cm |
| Type-approval design category CE | D | C | C |

STANDARD EQUIPMENT

- Pair of oars
- Seat
- Pump
- Repairing kit
- Carrying bag
- Owner's manual

EXTRA EQUIPMENT

- Front bag "Gibsy Bag"
- Inflatable boat cover
- Seat cushion "Gibsy Seat Bag"
- Hauling wheels
- Electric pump
- Dry storage adjustable seat

| | Model | Length m |
|---------------|-------------------------------|-------------|
| S00323 | Gibsy 230 "A" inflatable boat | 2.30 |
| S00327 | Gibsy 270 "A" inflatable boat | 2.70 |
| S00332 | Gibsy 320 "A" inflatable boat | 3.16 |

INFLATABLE BOATS

GIBSY INFLATABLE BOAT "A" SERIES ALUMINIUM FLOOR



5 ANNI SUL TESSUTO
5 YEARS ON FABRICS



GIBSY "A" 380-420 INFLATABLE BOAT

Thanks to the aluminium floor, that offers an extraordinary resistance to any shocks and to the possibility to transport more persons (up to 7), they are chosen by divers, fishermen, and rescue teams and for any activity where room and solidity are required. Extremely strong with aluminium floor and air-mat keel, they are quick on mounting and disassembling and easy to stow with their carrying bag.

Technical features

| | Gibsy 380 "A" | Gibsy 420 "A" |
|----------------------------------|---------------|---------------|
| Length | 3.80 m | 4.20 m |
| Width | 1.70 m | 1.90 m |
| Tubular's diameter | 45 cm | 50 cm |
| Buoyancy chambers | 3+1 | 3+1 |
| Weight | 75 Kg | 89 Kg |
| Persons capacity | 6+1 | 7 |
| Suggested power max HP | 15 hp | 25 hp |
| Maximum power KW/HP | 14,9 - 20 | 22 - 30 |
| Stowed dimensions | 120x65x42 cm | 130x70x42 cm |
| Type-approval design category CE | C | C |

STANDARD EQUIPMENT

- Pair of oars
- Seat
- Pump
- Repairing kit
- Carrying bag
- Owner's manual

EXTRA EQUIPMENT

- Front bag "Gibsy Bag"
- Inflatable boat cover
- Seat cushion "Gibsy Seat Bag"
- Hauling wheels
- Electric pump

| | Model | Length m |
|---------------|-------------------------------|-------------|
| S00338 | Gibsy 380 "A" inflatable boat | 3.80 |
| S00342 | Gibsy 420 "A" inflatable boat | 4.20 |

GIBSY INFLATABLE BOAT "KING LIGHT" SERIES AIR MAT FLOOR
NEW

 5 ANNI SUL TESSUTO
 5 YEARS ON FABRICS


CE

GIBSY "KING LIGHT" 160-180-200-249 INFLATABLE BOAT

Comfort and lightweight make these inflatable boats ideal for any activity. In these models **made of polyester fabric 0,7 mm thickness (1000 deniers)**, the floor has been replaced by an air-mat one, high pressure inflated, that makes them extremely roomy and light avoiding any mounting operation. Anywhere stowable thanks to their carrying bag which is included in the standard equipment.

| Technical features | Gibsy 160 "KING LIGHT" | Gibsy 180 "KING LIGHT" | Gibsy 200 "KING LIGHT" | Gibsy 249 "KING LIGHT" |
|-------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Length | 1.60 m | 1.80 m | 2.00 m | 2.49 m |
| Width | 1.18 m | 1.29 m | 1.29 m | 1.31 m |
| Tubular's diameter | 30 cm | 35 cm | 35 cm | 40 cm |
| Buoyancy chambers | 2+1 | 2+1 | 2+1 | 3+1 |
| Weight | 13,5 Kg | 16,5 Kg | 17,2 Kg | 21 Kg |
| Persons capacity | 1 | 1+1/2 | 2 | 3 |
| Suggested power max HP | 2 - 2,5 hp | 2 - 2,5 hp | 2,5 hp | 4 hp |
| Maximum power KW/HP | 1,9 - 2,5 | 1,9 - 2,5 | 2,6 - 3,5 | 3,9 - 5 |
| Stowed dimensions | 92x40x30 cm | 92x43x30 cm | 92x43x32 cm | 95x45x35 cm |
| Type-approval design category | D | D | D | D |

STANDARD EQUIPMENT

- Pair of telescopic paddles
- Seat
- Seat cushion "Gibsy Seat Bag"
- Pump
- Repairing kit
- Carrying bag

EXTRA EQUIPMENT

- Front bag "Gibsy Bag"
- Inflatable boat cover
- Seat cushion "Gibsy Seat Bag"
- Hauling wheels
- Electric pump

| | Model | Length m |
|---------------|--|-------------|
| S00456 | Gibsy 160 "KING LIGHT" inflatable boat | 1.60 |
| S00458 | Gibsy 180 "KING LIGHT" inflatable boat | 1.80 |
| S00460 | Gibsy 200 "KING LIGHT" inflatable boat | 2.00 |
| S00465 | Gibsy 249 "KING LIGHT" inflatable boat | 2.49 |

INFLATABLE BOATS

GIBSY INFLATABLE BOAT "M" SERIES AIR MAT FLOOR



GIBSY INFLATABLE BOAT "M" SERIES AIR MAT FLOOR

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS



GIBSY "M" 185-210-230-270-320 INFLATABLE BOAT

Their particular design, together with comfort and lightweight make these inflatable boats ideal for any activity. In these models the floor has been replaced by an air-mat one, high pressure inflated, that makes them extremely roomy and lightweight avoiding any mounting operation. Anywhere stowable thanks to their carrying bag which is included in the standard equipment.

| Technical features | Gibsy 185 "M" | Gibsy 210 "M" | Gibsy 230 "M" | Gibsy 270 "M" | Gibsy 320 "M" | Gibsy 380 "M" |
|----------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Length | 1.80 m | 2.10 m | 2.30 m | 2.70 m | 3.18 m | 3.86 m |
| Width | 1.35 m | 1.35 m | 1.31 m | 1.52 m | 1.52 m | 1.70 m |
| Tubular's diameter | 36 cm | 36 cm | 36 cm | 42 cm | 42 cm | 45 cm |
| Buoyancy chambers | 2+1 | 3+1 | 3+1 | 3+2 | 3+2 | 3+2 |
| Weight | 26,5 Kg | 28 Kg | 30 Kg | 39,5 Kg | 44 Kg | 57 Kg |
| Persons capacity | 2 | 2 | 2 | 3+1 | 4+1 | 6+1 |
| Suggested power max HP | 2,5 hp | 3 hp | 3,5 hp | 8/10 hp | 10 hp | 15 hp |
| Maximum power KW/HP | 1,9 - 2,5 | 2,5 - 3,5 | 3 - 4 | 7,5 - 10 | 11,2 - 15 | 14,9 - 20 |
| Stowed dimensions | 95x57x31 cm | 100x60x52 cm | 100x60x52 cm | 110x63x35 cm | 110x62x39 cm | 120x65x42 cm |
| Type-approval design category CE | D | D | D | D | C | C |

STANDARD EQUIPMENT

- Pair of oars
- Seat
- Pump
- Repairing kit
- Carrying bag
- Owner's manual

EXTRA EQUIPMENT

- Front bag "Gibsy Bag"
- Inflatable boat cover
- Seat cushion "Gibsy Seat Bag"
- Hauling wheels
- Electric pump
- Dry storage adjustable seat (from M 185 to M 320 model)

| | Model | Length m |
|---------------|-------------------------------|----------|
| S00418 | Gibsy 185 "M" inflatable boat | 1.85 |
| S00421 | Gibsy 210 "M" inflatable boat | 2.10 |
| S00423 | Gibsy 230 "M" inflatable boat | 2.30 |
| S00427 | Gibsy 270 "M" inflatable boat | 2.70 |
| S00432 | Gibsy 320 "M" inflatable boat | 3.18 |
| S00438 | Gibsy 380 "M" inflatable boat | 3.86 |

GIBSY INFLATABLE BOAT "V" SERIES VIB FLOOR

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS



GIBSY "V" 185-230-270-320 INFLATABLE BOAT

This range has the feature that everyone looks for in a modern inflatable boat: more stability and safety, storage and able to transport without effort passengers and provisions. Thanks to the combination of the air mat floor inflated to a high pressure with a V-keel, the hull is more rigid and efficient, even with small outboards, and allows a better manoeuvrability. Moreover, a peculiarity of this model is given by the extension of the hull which, running out the transom, creates two trim tabs that guarantee a better stability. Even these models do not need assembling operation since the floor is roll-up model.

| Technical features | Gibsy 185 "V" | Gibsy 230 "V" | Gibsy 270 "V" | Gibsy 320 "V" |
|-------------------------------|---------------|---------------|---------------|---------------|
| Length | 1.85 m | 2.30 m | 2.70 m | 3.20 m |
| Width | 1.35 m | 1.33 m | 1.52 m | 1.52 m |
| Tubular's diameter | 36 cm | 36 cm | 42 cm | 42 cm |
| Buoyancy chambers | 2+2 | 3+2 | 3+2 | 3+1 |
| Weight | 25,5 Kg | 30 Kg | 38 Kg | 42 Kg |
| Persons capacity | 2 | 2 | 3+1 | 4+1 |
| Suggested power max HP | 2,5 hp | 3,5 hp | 8 hp | 10 hp |
| Maximum power KW/HP | 1,9 - 2,5 | 3 - 4 | 7,5 - 10 | 11,2 - 15 |
| Stowed dimensions | 97x57x31 cm | 100x60x31 cm | 110x63x36 cm | 110x61x39 cm |
| Type-approval design category | D | D | D | C |
| CE | | | | |

STANDARD EQUIPMENT

- Pair of oars
- Seat
- Pump
- Repairing kit
- Carrying bag
- Owner's manual

EXTRA EQUIPMENT

- Front bag "Gibsy Bag"
- Inflatable boat cover
- Seat cushion "Gibsy Seat Bag"
- Hauling wheels
- Electric pump

| | Model | Length m |
|---------------|-------------------------------|-------------|
| S00518 | Gibsy 185 "V" inflatable boat | 1.85 |
| S00523 | Gibsy 230 "V" inflatable boat | 2.30 |
| S00527 | Gibsy 270 "V" inflatable boat | 2.70 |
| S00532 | Gibsy 320 "V" inflatable boat | 3.20 |

INFLATABLE BOATS

GIBSY INFLATABLE BOAT "E" SERIES FIBERGLASS HULL



GIBSY INFLATABLE BOAT "E" SERIES FIBERGLASS HULL

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS



GIBSY "E" 200-220-249-290-310 INFLATABLE BOAT

This range is dedicated to those who want superior class for their boat without giving up practicality and light weight. The rigid hull and their safety make the Gibsy "E" series fast and steady during veer. The V- keel allows to stop immediately even with full load. Besides the large tubulars make the approaching operations easier, guarantee stability during unloading and become fenders, protecting your yacht.

| Technical features | Gibsy 200 "E" | Gibsy 220 "E" | Gibsy 249 "E" | Gibsy 290 "E" | Gibsy 310 "E" |
|----------------------------------|---------------|---------------|---------------|---------------|---------------|
| Length | 2.00 m | 2.20 m | 2.49 m | 2.95 m | 3.10 m |
| Width | 1.37 m | 1.37 m | 1.60 m | 1.56 m | 1.54 m |
| Tubular's diameter | 36 cm | 36 cm | 42 cm | 42 cm | 42 cm |
| Buoyancy chambers | 3 | 3 | 3 | 3 | 3 |
| Weight | 55 Kg | 57 Kg | 59 Kg | 62 Kg | 67 kg |
| Persons capacity | 2 | 2 | 2 | 3 | 3+1 |
| Suggested power max HP | 3,5 hp | 3,5 hp | 4/5 hp | 8/10 hp | 10/15 hp |
| Maximum power KW/HP | 3 - 4 | 3 - 4 | 4 - 5 | 7,5 - 10 | 11,2 - 15 |
| Stowed dimensions | 180x110x46 cm | 200x110x46 cm | 236x115x43 cm | 251x110x47 cm | 284x100x33 cm |
| Type-approval design category CE | D | D | D | D | C |

STANDARD EQUIPMENT

- Pair of oars
- Seat
- Pump
- Repairing kit
- Carrying bag
- Owner's manual

EXTRA EQUIPMENT

- Front bag "Gibsy Bag"
- Inflatable boat cover
- Seat cushion "Gibsy Seat Bag"
- Hauling wheels
- Electric pump

| | Model | Length m |
|---------------|-------------------------------|-------------|
| S00820 | Gibsy 200 "E" inflatable boat | 2.00 |
| S00822 | Gibsy 220 "E" inflatable boat | 2.20 |
| S00824 | Gibsy 249 "E" inflatable boat | 2.49 |
| S00828 | Gibsy 290 "E" inflatable boat | 2.95 |
| S00831 | Gibsy 310 "E" inflatable boat | 3.10 |



INFLATABLE BOATS

GIBSY INFLATABLE BOAT "VENUS" SERIES FIBERGLASS HULL

GIBSY INFLATABLE BOAT "VENUS" SERIES FIBERGLASS HULL

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS



NEW



GIBSY "VENUS" 290-320-360 INFLATABLE BOAT

This new tender line, innovative and elegant, extremely well-finished, is addressed to whom wants a high level product for his own boats or to whom uses it as leisure inflatable boat, thus representing the ideal choice for the most demanding navigators, without giving up comfort and reduced weights.

Gibsy "VENUS" series, safe and stable, join the performances of the rigid hull to the reliability of the pneumatic concept, thus becoming fast and stable.

Moreover the large tubulars grant more stability during disembarking, becoming a fender for the protection of your yacht.

The console is studied for optimizing the spaces on board and the ergonomic seats ensure a high comfort to passengers.

"Venus", born to be a tender, it turned to be a trendy product, providing a world of fun to everybody!

| Technical features | Gibsy 290 "VENUS" | Gibsy 320 "VENUS" | Gibsy 360 "VENUS" |
|----------------------------------|--|--|--|
| Overall length | 2.90 m | 3.20 m | 3.60 m |
| Overall width | 1.70 m | 1.60 m | 1.70 m |
| Internal length | 1.75 m | 2.28 m | 2.30 m |
| Internal width | 85,5 cm | 75 cm | 86 cm |
| Tubular's diameter | 42 cm | 42 cm | 42 cm |
| Buoyancy chambers | 3 | 3 | 3 |
| Weight | 95 Kg | 95 Kg | 135 Kg |
| Persons capacity | 4 | 5 | 5 |
| Maximum power KW/HP | 11,25 - 15 | 14 - 20 | 22 - 30 |
| Type-approval design category CE | C | C | C |
| Tubular material | PVC 1000 gr/m ² - 1100 den | PVC 1000 gr/m ² - 1100 den | PVC 1000 gr/m ² - 1100 den |
| Transom height | 42 cm short shaft | 42 cm short shaft | 42 cm short shaft |

STANDARD EQUIPMENT

- Steering console with side seat
- Transom seat with backrest
- Steering system with cable
- Steering wheel with polyurethane coated grip
- Bow locker, wide locker under-console and transom locker
- Complete cushions
- FRP bow step with bow roller and cleat made of stainless steel
- Series of U-bolts for lifting
- Pair of oars
- Pump
- Repairing kit

EXTRA EQUIPMENT

- Inflatable boat cover
- Electric pump
- Automatic bilge pump

white/grey finishings
S00929
S00932
S00936

white/blue finishings
S00929B
 -
 -

Model
 Gibsy 290 "VENUS" inflatable boat
 Gibsy 320 "VENUS" inflatable boat
 Gibsy 360 "VENUS" inflatable boat

Length
 m
 2.90
 3.20
 3.60