




**Linetex**®

OUTDOOR | MARINE | AUTOMOTIVE

**SPRADLING**®  
COATED FABRICS













LNT-9502  
CHALK

## PERMACOOL COMFORT TECHNOLOGY

PermaCool technology reduces the surface temperature of your seating upholstery by up to 16°C when compared to regular vinyl-coated fabrics. Results were obtained following measurements done in accordance with ASTM D 4803-10\*\*.

## PERMABLOK<sup>3</sup>® ADVANCED VINYL PROTECTION **PLUS+**

Permablok<sup>3</sup> Plus from Spradling®, is a newly developed protective coating combining the well-known and proven Permablok<sup>3</sup> formula (anti-bacterial and anti-abrasion) with an enhanced resistance to stains: it seals the surface providing a shield against stains, makes cleaning easier and improves removal of dye-transfer\*.

-  Exzellente Abriebfestigkeit / Resistencia a la abrasión / Resistance a l'abrasion / Abrasion resistant / Resistenza all'abrasione / Doskonała odporność na cieranie
-  Wasserabweisend / Impermeabilidad / Imperméabilité / Impermeability / Impermeabilità / Wodoodporny
-  Lichtehtheit / Durabilidad del color a la luz / Résistance à la lumière / UV resistant / Resistenza raggi solari / Odporny na promieniowanie UV
-  Kältebruchresistent / Resistencia a bajas temperaturas / Résistance aux basses températures / Low temp. resistant / Resistenza alla rottura da freddo / Odporny na niskie temperatury
-  Antimikrobiell ausgerüstet / Resistencia a microorganismos / Protection contre des micro-organismes / Mildew resistant / Antimuffa / Odporny na ple
-  Einfache Reinigung / Fácil limpieza / Facilité d'entretien / Easy to clean / Facile da pulire / Łatwy do czyszczenia
-  Flammhemmend ausgerüstet / Retardancia al fuego / Retardement au feu / Flame retardant / Ritardanza al fuoco / Produkt uniepalniony
-  Chemikalienbeständig\* / Resistencia a químicos\* / Résistance aux produits chimiques\* / Chemical resistant\* / Resistenza chimica\* / Odporny na chemikalia\*

\*Bitte anfragen / Pregunte por asesoría / Sur demande / Upon request / Si prega d'informarsi / na życzenie







LNT-9502  
CHALK



LNT-4768  
GLACIER



LNT-8215  
SHALLOW



LNT-6480  
SPHERE



LNT-3460  
BAMBOO



LNT-5194  
BUTTER




LNT-2888  
DUST



LNT-8288  
CHESTNUT



LNT-7893  
ROCK



LNT-6027  
TOAST




LNT-7686  
CACAO



LNT-1323  
TRUFFLE




LNT-8577  
IRON



LNT-1340  
CLIFF



LNT-4210  
SHALE



LNT-4571  
WAVE

[CLICK HERE TO SEE THE PRODUCT TECHNICAL SPECIFICATIONS](#)



For Care and Cleaning instructions please visit our website [WWW.SPRADLING.EU](http://WWW.SPRADLING.EU)



No Master samples (not suitable for colour matching and quality control / testing purposes).  
Commercially acceptable colour shifts may occur between production runs. As such lot separation is recommended.

All Spradling® products and services are offered and sold subject to the Spradling® General Terms and Conditions of Sale, available for download under [www.spradling.eu](http://www.spradling.eu). Please follow our manufacturing and maintenance guidelines, also available under [www.spradling.eu](http://www.spradling.eu). In the event of failure to comply with these guidelines, no liability is assumed by the manufacturer and any warranty claim(s) (if applicable) expire.



CONTRACT



MARINE



AUTOMOTIVE



OUTDOOR



**Inspiration that covers the world**